## InstaShow<sup>™</sup> (Button Kit) General Specifications

Color	Black
Support Platform	Windows, MAC, Chrome. Any OS has USB-C with Thunderbolt 3 or USB-C with Display Port Alt Mode(DP version higher or equal than 1.2)
Video Outputs	HDMI 1.4, comply with HDCP
Frame Rate	Up to 60 fps depending on environment
Output Resolution	800 x 600, 1280x720 (720P),1024 x 768 (XGA),1280 x 768,1280x800(WXGA),1280 x 1024,1280 x 960,1360 x 768,1440 x 900,1400 x 1050,1680 x 1050, 1920x1080 (1080p)
Input Resolution	Up to 1920x1080
Simultaneous Connections	16 pcs

48KHz

Wireless	IEEE 802.11ac, 5GHz, 2T2R
Data Rate Wireless	Up to 867Mbps
Authentication Protocol	WPA2 (WPA2-PSK (Pre-Shared key) / WPA2-Enterprise)
Security (encryption )	AES 128 bit
Reach	Max. 8m between InstaShow Button and InstaShow Host
Temperature Range	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)
Humidity	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing
InstaShow Package	

InstaShow Button x2

USB Extended Cable	x1 (15cm), x1 (80cm)
Safety Statement	x 1
Cradle	x1
Quick Start Guild	x1
InstaShow Button	
Cable	USB Type A, HDMI Cable
<b>Reset Button</b>	x1
Mode Key	x1
LED	*Red (boosting), Green (wifi connected), Blue (presenting)
Power Supply	DC 5V±10%, 0.9A
Power Consumption	Normal: 4.5W

Weight	100g
Notes	
InstaShow Host. **Please find det ***Wireless conn environment.	on is activated when paired with ail LED behavior in the user manual. fection speed depends on wireless

\*\*\*\*Your product complies with the local wireless regulations and the warranties are valid in the country/region where the product is purchased. Using the product outside the purchased country/region does not guarantee the wireless functionalities. And modification of any part of the product will void the warranties.