

JBL Control 19CS Specs

Speaker

Active or Passive	Passive
Power Handling	100 W RMS 200 W Program
Impedance	8 Ohms
Shielded	No

Drivers

LF Driver	8" / 20 cm Polypropylene-Coated Woofers
LF Voice Coil	1.5" / 3.8 cm

Performance

Frequency Range	42 Hz to 200 Hz -10 dB
Maximum SPL	115 dB (Corner Mount)
Sensitivity	95 dB SPL (Corner Mount) 89 dB SPL (Ceiling-Center Mount)

Coverage Angle	180° H x 180° V
----------------	-----------------

Protections	Overvoltage
-------------	-------------

Connectivity

I/O Connectors	Screw Terminal
----------------	----------------

Maximum Wire Gauge	12 AWG
--------------------	--------

Environmental

Certifications	UL, as per Manufacturer
----------------	-------------------------

Physical

Color	White
-------	-------

Cutout Depth	12.5" / 31.8 cm
--------------	-----------------

Cutout Size	12" / 30.5 cm
-------------	---------------

Construction Material	Medium-Impact Polystyrene, Steel
-----------------------	----------------------------------

Dimensions	13.6 x 13.6" / 34.5 x 34.5 cm
------------	-------------------------------

Weight	12 lb / 5.5 kg
--------	----------------

Packaging Info

Package Weight 48.8 lb

Box Dimensions (LxWxH) 32 x 15 x 15"
