

# JBL CSA 2300Z Specs

## Power Amplifier

---

Number of Channels	2
Power Rating	<b>4 Ohms / 8 Ohms:</b> 300 W (1 kHz, 0.5% THD)
Load Impedance / Voltage	4 Ohms (Minimum) 70 / 100 V

---

## Performance

---

Frequency Response	20 Hz to 20 kHz $\pm$ 1 dB (8 Ohms)
Input Sensitivity	<b>Line:</b> 775 mVrms (Balanced, at 8 Ohms) <b>RCA:</b> 300 mV (at 8 Ohms)
Input Impedance	<b>Euroblock:</b> 20 Kilohms (Balanced) <b>RCA:</b> 10 Kilohms
SNR	>97 dBA
THD	<0.5% (Full Range, at Rated Power)
Crosstalk	<-70 dBA (at 1 kHz)

---

## Signal Processing

---

EQ 2-Band EQ ⓘ

---

## Connectivity

---

I/O Euroblock Balanced/Unbalanced Input  
2RCA Summed-Mono Input  
Terminal Block Output

---

## Power

---

AC Input Power 100 to 240 VAC, 50 / 60 Hz

---

## Physical

---

Operating Temperature 32 to 95°F / 0 to 35°C ⓘ

---

Storage Temperature -4 to 185°F / -20 to 85°C

---

Dimensions 17.0 x 11.0 x 3.5" / 43.0 x 27.0 x 8.9 cm

---

Weight 17.8 lb / 8.1 kg

---

## Packaging Info

---

Package Weight 20 lb

---

Box Dimensions (LxWxH)

22 x 15 x 6"

---