
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	400 Nozzles Black
Minimum Droplet Size	2.8 pl
Ink Technology	Pigment ink
Printing Resolution	1,200 x 2,400 DPI
Application	Home Office, Office Desktop, Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax

Print

Printing Speed ISO/IEC 24734	20 pages/min Monochrome
Printing Speed	39 pages/min Monochrome (plain paper 75 g/m ²)
Duplex Printing Speed ISO/IEC 24734	9 A4 pages/min Monochrome
First Page Out from Ready	Monochrome 6 Seconds
Colours	Black

Scan

Single-sided scan speed (A4 black)	200 dpi (with ADF); , 7 ipm with ADF scan 200 dpi (flatbed) 12 sec. with flatbed scan
Single-sided scan speed (A4 colour)	200 dpi (with ADF); , 7 ipm with ADF scan 200 dpi (flatbed) 27 sec. with flatbed scan
Scanning Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

Fax

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	upto 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	100 names and numbers
Page memory	upto 180 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Broadcast Fax, Fax Preview, Polling Reception

Paper / Media Handling

Number of paper trays	1
------------------------------	---

Paper Formats	A4, Legal, Letter, Executive, A5, A6, B5, B6
Duplex	Yes
Automatic Document Feeder	35 pages
Output Tray Capacity	100 Sheets
multifunction	250 Sheets Standard, 250 Sheets Maximum
Rear paper path (special media)	Yes
Compatible Paper Thickness	64 mm - 95 mm
Compatible Paper Weight	64 g/m ² - 256 g/m ²
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Rear specialty media feed

General

Recommended number of users	From 1 to 3
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.9 Watt (sleep mode), 5.4 Watt (ready), 0.2 Watt (Power off), TEC 0.3 kWh/week
Supply Voltage	AC 100 V - 240 V
Product dimensions	375 x 347 x 346 mm (Width x Depth x Height)
Product weight	7.3 kg
Noise Level	6.9 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 56 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows XP Professional x64 Edition SP2
Interfaces	USB, Ethernet, WiFi, Wi-Fi Direct
Sound Power	Operation: 6.9 B (A)
Sound Pressure	Operation: 56 dB (A)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES)
Mobile & Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
Power Supply	100V, 110V, 220V, 240V
What's in the box	Main unit, Power cable, Warranty document, X2 ink bottles
Colour	White

Other Features

LCD screen	Type: Colour, Touchscreen, Diagonal: 6.1 cm
Memory	2 MB Included
Emulations	GDI

Included Bottle Yield

