Tech Specs

Product features and specifications are subject to change without prior notice.

CLOSE ALL

Technology

Scanner type Flatbed Scanner, Sheetfed Scanner

Scanning Resolution 600 DPI x 600 DPI (Horizontal x Vertical)

ADF Minimum Document

Size

68 mm x 120 mm (Horizontal x Vertical)

ADF Maximum Document

Size

297 mm x 2,540 mm (Horizontal x Vertical)

Paper Formats A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive

Colour Depth Input: 48 Bits Colour / 16 Bits Monochrome , Output: 24 Bits Colour /

8 Bits Monochrome

Ultrasonic Sensor Yes

Application Network & Wifi, High Capacity, General Office

Scanner

Light Source ReadyScan LED technology

LCD Display Epson Network Interface Panel

Scan speed

Scanning Speed Monochrome: 70 pages/min - Color: 70 pages/min measured with size: A4 , resolution:

200 / 300 dpi, Monochrome: 140 image/min - Color: 140 image/min measured with size:

A4, resolution: 200 / 300 dpi

Paper / Media Handling

ADF Paper weight Auto loading: 35 - 128 g/m²

Reliability Daily Duty

Cycle

8,000 pages

Automatic Document

Feeder

200 pages

Duplex Scan Yes

Scanning Features

Features Skip blank page, Advanced editing, Pre-defined scanning settings, Automatic area

segmentation, Automatic de-skew, Automatic multi-document recognition, Automatic B/W colour original detection, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Unsharp Mask (USM), Descreening, Book spine correction, Automatic Folder Creation, Barcode Recognition, Zonal OCR A & B support, Manual /

Automatic Job Separation

Output formats JPEG, TIFF, multi-TIFF, PDF, PDF / batch, searchable PDF, secure PDF, PDF/A

File compression features Hardware JPEG compression, TIFF Compression (JPEG(7), CCITT G4, LZW), PDF

Compression

Advanced document

integration

Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web

folders, Scan to Network folders

Connectivity

Interfaces Wired Network

Network Interface Panel /

Unit

Built-in

Ethernet settings 10BASE-T / 100BASE-T / 1000BASE-T / Full-duplex / Half-duplex

Panel type 5-line LCD with Push Scan features

Protocol support TCP/IP, DHCP, DNS, SNMP, SLP

IPv6 support Yes

Push scan features Yes (with Document Capture Suite)

Panel Lock with password Yes (with Document Capture Suite)

General

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 640 x 522 x 289 mm (Width x Depth x Height)

Product weight 27.38 kg

Drivers TWAIN, WIA, ISIS (Web download)

Included Software Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server

(on free download), Epson Event Manager (Mac Only), Epson Scan, EpsonNet Config

Compatible Operating

Systems

Citrix XenApp 5.0, Citrix XenApp 6.0, Mac OS 10.4.11 or later (Epson Scan Only), Presentation Server 4.5, Terminal Service, Windows 7, Windows 7 x64, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit),

Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows

XP x64, Windows Server 2003 R2

Energy Use 82 Watt, 16 Watt (economy), 4.1 Watt (standby)

Noise Level Operation: 67.9 dB (A)

Humidity Operation 10% - 80%, Storage 10% - 85%

Temperature Operation 5° C - 35° C, Storage -25° C - 60° C

What's in the box Epson Network Interface Panel, Main unit, Power cable, Setup guide, Software (CD),

Warranty document

Options Roller Assembly Kit