


THE LENOVO THINKVISION[®] LT2934z MONITOR

WORK OR PLAY. 33% MORE SCREEN SPACE.

29" PANORAMA AH-IPS LED BACKLIT LCD VoIP PROFESSIONAL MONITOR

The Lenovo ThinkVision LT2934z offers a 21:9 panoramic design coupled with picture-in-picture – a perfect business-class display, but great for movies and gaming as well! Be it complex financial data, multiple apps, complex CAD drawings and 3D animations, all fit on to the screen with room to spare! The LT2934z even enhances your conferencing experience with high-definition video, clearer audio, and dedicated control buttons for VoIP.



DO MORE

ThinkVision PIP Anywhere enables two displays in one screen. Switch between PCs and peripherals with One Switch Toggle



CONNECT MORE

Multiple ports: VGA, Dual-link DVI-D, HDMI 1.4, DP 1.2, MHL, USB 2.0, USB 3.0



EXPRESS MORE

Superb VoIP with FHD 2 MP camera, noise cancelling microphones, and stereo speakers



CONSERVE MORE

Fully compliant with ULE, EPEAT[®], ENERGY STAR, TCO, and ISO requirements





SPECIFICATIONS

LCD PANEL

Panel Size	29" Wide
Aspect Ratio	21:9
Resolution	2560 x 1080
Viewable Area	29" / 730.25mm
Screen Dimensions (W x H)	672.768 x 283.824mm
Pixel Pitch	0.0876 x 0.2628mm
Dot/Pixel Per Inch (DP/PPI)	96
Maximum Brightness (typical)	300 cd/m ²
Contrast Ratio (typical)	1000:1
Dynamic Contrast Ratio (typical)	3M:1
Viewing Angle (H/V at CR 10:1)	178/178
Viewing Angle (H/V at CR 5:1)	178/178
Response Time (typical)	7 ms grey-to-grey (GtG)
Panel Type	AH-IPS
Colour Gamut (CIE 1931)	sRGB 100%, NTSC 72%
Colour Gamut (CIE 1976)	sRGB 91.3%, NTSC 91%
Number of Colours	16.7 M
Backlight	WLED

POWER CONSUMPTION

Power Consumption (Typ. / Max)	50w / 100w
Power Consumption Sleep / Off Mode	<1.2 w
Heat Dissipation (Typ. / Max)	170.5 / 341
Power Supply	Internal

SIGNAL INPUT

Video Input Signals	VGA, Dual-Link DVI, HDMI 1.4, DP 1.2, MHL
Cables Supplied	VGA, Dual-link DVI, DP, HDMI, USB 2.0, USB 3.0
Plug 'n' Play	Yes
Preset Display Modes	19
User-defined Display Modes	20
OSD Buttons	7
OSD Languages	8
Lockable Controls	Yes

PART NUMBERS

EAN EMEA	0887942949464
UPC US	887942949228
UPC ASEAN	887942949259
UPC ANZ	887942949235
JAN Code	4560421288563

MECHANICAL

Infinity Glass	Yes
Tilt Angle (front / back)	-5° / 25°
Swivel Angle (left / right)	+/- 45°
Lift	110mm
VESA Mount	Yes (100mm)
Kensington Lock Slot	Yes
USB	USB 3.0 up x 1, USB 2.0 up x 1, USB 3.0 down x 2, USB 2.0 down x 2, BC1.2
Webcam	FHD
Microphone	Integrated
Speakers	2 x 3w
Bezel Colour	Black with a dark metallic bezel
Bezel Width (Side)	2.0mm
Bezel Width (Top / Bottom)	2.0mm / 20mm

DIMENSIONS

Size Unpacked (D x H x W)	239.7mm x 380mm x 699.2mm (9.4" x 15" x 27.5")
Weight Unpacked	8.3kg (18.3lbs)

COMPLIANCE

ULE	Gold
TCO	TCO Display 6.0
TCO Edge	TCO Edge 1.2
EPEAT®	Gold
ENERGY STAR Rating	6.0
Windows Certification	Windows® 7 / Windows 8 / Windows 8.1
PCC	85%
Image Quality Capability	ISO 9241-307
China Energy Efficiency Standard	Tier 1

WARRANTY

Warranty	3 Years
----------	---------

THE LENOVO THINKVISION® LT2934z MONITOR
USER SCENARIOS



◀ **OFFICE APPLICATIONS**
 Ideal to run today's complex office applications.

FINANCE ▶▶
 Be it complex financial data, stock market analysis or any other finance application, the LT2934z has room for it.



◀ **SOFTWARE ENGINEERING**
 The LT2934z has enough screen space, so that you don't have to frequently scroll vertically and horizontally while authoring intricate software programs.



THE LENOVO THINKVISION® LT2934z MONITOR

USER SCENARIOS

MULTIMEDIA AND GAMING >>

Life-like viewing and enthralling multimedia and gaming experience with 33% larger display.



<< **MOVIES**

Experience movies with great comfort and ease for your eyes with the wide panoramic screen.



WEB BROWSING >>

Enjoy reading, shopping and browsing on a magnificent 29" IPS display.

