

---

<b>Printing Method</b>	PrecisionCore™ Print Head
<b>Nozzle Configuration</b>	800 Nozzles Black, 800 Nozzles per Color
<b>Minimum Droplet Size</b>	3.8 pl, With Variable-Sized Droplet Technology
<b>Ink Technology</b>	DURABrite™ Ultra
<b>Application</b>	Office Workgroup
<b>All-in-One Functions</b>	Print

---

## Print

<b>First Page Out from Ready</b>	Monochrome 4.8 Seconds, Colour 5.3 Seconds
<b>Printing Speed ISO/IEC 24734</b>	24 pages/min Monochrome, 24 pages/min Colour
<b>Duplex Printing Speed ISO/IEC 24734</b>	15 A4 pages/min Monochrome, 15 A4 pages/min Colour
<b>Printing Speed</b>	34 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 34 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
<b>Printing Resolution</b>	4,800 x 1,200 DPI
<b>Max Duty cycle</b>	45,000 pages per month
<b>Recommended Duty Cycle</b>	250 - 2,500 pages per month

---

## Connectivity

<b>Network Printing Protocols</b>	LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint
-----------------------------------	---

<b>Network Management Protocols</b>	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
<b>Network Scanning Protocols</b>	NetBIOS over TCP/IP, Bonjour/Airprint, FTP
<b>Interfaces</b>	Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near Field Communication (NFC)
<b>WLAN Security</b>	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES)
<b>Network Protocols</b>	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

---

## Paper / Media Handling

<b>Paper Formats</b>	C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5 (Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)
<b>Compatible Paper Weight</b>	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup>
<b>Duplex</b>	Yes
<b>Standard Paper input</b>	330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray
<b>Output Tray Capacity</b>	150 Sheets
<b>Standard paper tray(s)</b>	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
<b>Optional paper tray(s)</b>	500-Sheet paper tray
<b>Maximum paper input</b>	830
<b>Rear paper path (special media)</b>	Yes
<b>Number of paper trays</b>	2

---

## Paper Feed

<b>Paper Input Name</b>	RASF
<b>Paper Formats</b>	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal
<b>Custom sizes</b>	Min 64x 127 mm to Max 216x 60,000 mm
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

---

## Paper Feed

<b>Paper Input Name</b>	C1
<b>Paper Formats</b>	A4, A5, A6, Letter
<b>Custom sizes</b>	Min 89x 127 mm to Max 216x 356 mm
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	250 Sheets of Plain Paper, Envelopes, 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

<b>Paper Input Name</b>	C2
<b>Paper Formats</b>	A4, Letter
<b>Custom sizes</b>	Min 100x 148 mm to Max 216x 356 mm
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	500 Sheets of Plain Paper, 80gsm

**Media type** Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

**Paper Input Name** Duplex

**Paper Formats** A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive

**Custom sizes** Min 148x 210 mm to Max 216x 297 mm

**Compatible paper weight** 64 g/m<sup>2</sup> - 160 g/m<sup>2</sup>

**Media type** Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## General

**Energy Use** 1.2 Watt (sleep mode), 22 Watt (printing), 7 Watt (ready), 0.2 Watt (Power off),  
TEC 0.22 kWh/week

**Supply Voltage** AC 220 V - 240 V, 50 Hz - 60 Hz

**Product dimensions** 425 x 535 x 357 mm (Width x Depth x Height)

**Product weight** 15.3 kg

**Compatible Operating Systems** Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, Windows XP Professional x64 Edition, Windows XP Professional x64 Edition SP2

**Included Software** Epson Document Capture Pro (Windows only)

**Sound Power** Operation: 6.8 B (A)

<b>Sound Pressure</b>	Operation: 55 dB (A)
<b>Mobile &amp; Cloud printing services</b>	Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print
<b>Power Supply</b>	220V, 240V
<b>What's in the box</b>	Driver and utilities (CD), Individual Ink Cartridges, Power cable, Setup guide, User manual (CD)

---

## Additional Features

<b>Features</b>	Direct Print, Direct print from USB
<b>LCD screen</b>	Type: Colour, Diagonal: 6.1 cm
<b>Media Handling</b>	Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support
<b>Security Functions</b>	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

---

## Other

<b>Warranty</b>	12 months On-site service
-----------------	---------------------------

---

## Other Features

<b>Emulations</b>	ESC/P-R, GDI
-------------------	--------------

---