Tech Specs

Product features and specifications are subject to change without prior notice.

SKU: C11CH65301A1 CLOSE ALL

Technology

Printing Method PrecisionCore™ Print Head

All-in-One Functions Print, Scan, Copy

Ink Technology Ultrachrome® XD2

Print

First Page Out from

Ready

Monochrome 22 Seconds, Colour 22 Seconds

Colours Black, Cyan, Yellow, Magenta

Ink tank capacity 350 ml

Minimum Droplet Size 4 pl, With Variable-Sized Droplet Technology

Nozzle Configuration 800 Nozzles Black, 800 Nozzles per Color

Printing Resolution 2,400 x 1,200 DPI

Paper / Media Handling

Paper Formats A1, A2, A2+, A3+, A3, A4, B1, B2, B3, B4, B5, 17 " (43.2 cm), 24 " (61.0 cm), A0, 36 "

(91.4 cm)

Print Margins Sheet Media Mode 1: 3 mm (top), 3 mm (right), 20 mm (bottom), 3 mm (left)

Print Margins Roll Media Mode 1: 3 mm (top), 3 mm (bottom)

Compatible Paper

Thickness

0.05 mm - 0.3 mm

Borderless printing on 254 mm, 300 mm, 330 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm,

841 mm, 914 mm

General

Energy Use 38 Watt, 13 Watt (standby), 0.25 Watt (Power off)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 1,385 x 750 x 1,060 mm (Width x Depth x Height)

Product weight 88 kg

Sound Power Operation: 7.5 B (A)

Mobile & Cloud printing

services

Apple AirPrint

Noise Level Operation: 50 dB (A) - Standby: 32 dB (A)

What's in the box AC cable, Driver and utilities (CD), Individual Ink Cartridges, Main unit, Paper stacker,

Printer stand, Setup guide, User manual (CD), Warranty document

Other Features

Memory Printer: 1 GB

Emulations ESC/P-R, HP-GL2, RTL

Features Touchscreen, Direct print from USB

Other

Compatible Operating

Systems

Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista,

Windows XP

Warranty 24 months On-site service

Interfaces USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi

Direct

Media Handling Auto cutter, Roll Paper

LCD and Memory Cards

LCD screen Type: Colour, Touchscreen, Diagonal: 10.9 cm

Scan

Advanced document

integration

Scan to Email, Scan to FTP, Scan to Network folders, Scan to USB, USB Memory

Device

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

Light Source Dual LED (RGB)

Optical Resolution 600 DPI x 600 DPI (Horizontal x Vertical)

Scanning Speed (new) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided,

200 dpi;

Maximum Scan Length 30.5 m

Copy

Reduction / Enlargement 25 % - 400 %

Maximum number of copies

99

Thickness

0.8 mm