
Scanner type	Mobile Scanner
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Scanning Resolution	600 DPI x 600 DPI (Horizontal x Vertical)
Paper Formats	Legal, Business cards, A4, A5, A6, A3 with stitching function, A7, A8, B5, B6, Postcard, Letter, Plastic cards
Colour Depth	Input: 48 Bits Colour / 16 Bits Monochrome , Output: 24 Bits Colour / 8 Bits Monochrome
Application	Small & Compact, General Office

Scanner

Optical Sensor	CIS (Contact Image Sensor)
Light Source	ReadyScan LED technology
Output Resolution	600 DPI

Scan speed

Scanning Speed	Monochrome: 4 s/page - Color: 4 s/page measured with size: A4 , resolution: 200 / 300 dpi
-----------------------	---

Paper / Media Handling

ADF Paper Setting Capacity	1 Sheets
ADF Paper weight	Auto loading: 35 - 270 g/m ² , Manual loading:35 - 270 g/m ²

Reliability Daily Duty Cycle 300 pages

Duplex Scan No

Scanning Features

Features One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening

Output formats BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG

Scanning Volume 300 pages per day

Connectivity

Interfaces Wireless LAN IEEE 802.11a/b/g/n, Hi-Speed USB - compatible with USB 2.0 specification, Wi-Fi Direct

General

Product dimensions 272 x 47 x 34 mm (Width x Depth x Height)

Product weight 0.3 kg

Drivers TWAIN, WIA, SANE (Linux), ICA (Mac)

Included Software Document Capture Pro 2.0, Epson Scan 2

Compatible Operating Systems Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP

Humidity Operation 10% - 85%, Storage 10% - 90%

Temperature Operation 5° C - 35° C, Storage -25° C - 60° C

What's in the box USB cable

LCD and Memory Cards

LCD screen Type: Monochrome
