Scanner type Sheetfed Scanner

Scanning Resolution 600 DPI x 600 DPI (Horizontal x Vertical)

ADF Minimum Document

Size

50.8 mm x 50.8 mm (Horizontal x Vertical)

ADF Maximum Document

Size

215.9 mm x 6,096 mm (Horizontal x Vertical)

Colour Depth Input: 30 Bits Colour / 10 Bits Monochrome , Output: 24 Bits Colour /

8 Bits Monochrome

Ultrasonic Sensor Yes

Application High Capacity, General Office

Scanner

Light Source ReadyScan LED technology

Scan speed

Scanning Speed Monochrome: 35 pages/min - Color: 35 pages/min measured with size: A4 , resolution:

200 / 300 dpi, Monochrome: 70 image/min - Color: 70 image/min measured with size:

A4, resolution: 200 / 300 dpi

Paper / Media Handling

ADF Paper Setting

Capacity

50 Sheets

ADF Paper weight Auto loading: 27 - 413 g/m²

Automatic Document

Feeder Type

Single pass dual scanning

Reliability Daily Duty

Cycle

4,000 pages

Automatic Document

Feeder

50 pages

Duplex Scan

Yes

Scanning Features

Features RGB colour dropout, Skip blank page, A3 stiching, Punch holes removal, Advanced

editing, Automatic de-skew, Automatic multi-document recognition, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge

fill, Unsharp Mask (USM), Descreening, Automatic Folder Creation, Barcode

Recognition, Zonal OCR A & B support, Full Zonal OCR

Output formats JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A

File compression features Hardware JPEG compression, TIFF Compression (JPEG(7), CCITT G4, LZW), PDF

Compression

Advanced document

integration

Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web

folders, Scan to Network folders

Connectivity

Interfaces USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)

Network Interface Panel /

Unit

Standard

Panel type 5-line LCD with Push Scan features

Protocol support TCP/IP, DHCP, DNS, SNMP, SLP

IPv6 support Yes

Push scan features Yes (with Document Capture Suite)

Panel Lock with password Yes (with Document Capture Suite)

General

Product dimensions 296 x 169 x 176 mm (Width x Depth x Height)

Product weight 3.7 kg

Drivers TWAIN, WIA, ISIS (Web download)

Included Software Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only),

Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft

Presto!BizCard

Compatible Operating

Systems

Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP Professional x64 Edition

Humidity Operation 15% - 80%, Storage 15% - 85%

Temperature Operation 5° C - 35° C, Storage -25° C - 60° C

What's in the box Driver and utilities (CD), Epson Network Interface Panel, Main unit, Power cable, Setup

guide, USB cable, Warranty Documents

Options Roller Assembly Kit

Accessories

Choose from a wide range of options and accessories.