
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	400 Nozzles Black
Minimum Droplet Size	2.8 pl
Ink Technology	Pigment ink
Printing Resolution	1,200 x 2,400 DPI
Application	Home Office, Office Desktop, Office Workgroup
All-in-One Functions	Print, Scan, Copy

Print

Printing Speed ISO/IEC 24734	20 pages/min Monochrome
Printing Speed	39 pages/min Monochrome (plain paper 75 g/m ²)
Duplex Printing Speed ISO/IEC 24734	9 A4 pages/min Monochrome
First Page Out from Ready	Monochrome 6 Seconds
Colours	Black

Scan

Single-sided scan speed (A4 black)	200 dpi (flatbed) 12 sec. with flatbed scan
Single-sided scan speed (A4 colour)	200 dpi (flatbed) 27 sec. with flatbed scan
Scanning Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)

Optical Resolution (ADF)	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

Paper / Media Handling

Number of paper trays	1
Paper Formats	A4, Legal
Duplex	Yes (A4, plain paper)
Output Tray Capacity	100 Sheets
multifunction	250 Sheets Standard
Rear paper path (special media)	Yes
Compatible Paper Thickness	64 mm - 95 mm
Compatible Paper Weight	64 g/m ² - 256 g/m ²
Media Handling	Automatic duplex (A4, plain paper), Rear specialty media feed

General

Recommended number of users	From 1 to 3
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.9 Watt (ready), 0.8 Watt (Power off)
Supply Voltage	AC 100 V - 240 V
Product dimensions	375 x 347 x 302 mm (Width x Depth x Height)

Product weight	6.2 kg
Noise Level	6.9 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 56 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows XP Professional x64 Edition SP2
Interfaces	USB
Sound Power	Operation: 6.9 B (A)
Sound Pressure	Operation: 56 dB (A)
Power Supply	220V, 240V
What's in the box	Main unit, Power cable, Warranty card, X2 ink bottles
Colour	White

Other Features

LCD screen	Type: Colour, Diagonal: 3.7 cm
Emulations	GDI

Included Bottle Yield

Black yield	11,000 pages
--------------------	--------------
