

---

<b>Printing Method</b>	PrecisionCore™ Print Head
<b>Nozzle Configuration</b>	800 Nozzles Black, 800 Nozzles per Color
<b>Minimum Droplet Size</b>	4.6 pl, With Variable-Sized Droplet Technology
<b>Ink Technology</b>	DURABrite™ Pro
<b>Application</b>	Office Workgroup, Office Departmental
<b>All-in-One Functions</b>	Print, Scan, Copy, Fax

---

## Print

<b>First Page Out from Ready</b>	Monochrome 5.5 Seconds, Colour 5.5 Seconds
<b>Printing Speed ISO/IEC 24734</b>	24 pages/min Monochrome, 24 pages/min Colour
<b>Duplex Printing Speed ISO/IEC 24734</b>	16 A4 pages/min Monochrome, 16 A4 pages/min Colour
<b>Printing Speed ISO/IEC 24734 (A3)</b>	13 pages/min Monochrome, 13 pages/min Colour
<b>Duplex Printing Speed ISO/IEC 24734 (A3)</b>	11 A4 pages/min Monochrome, 11 A4 pages/min Colour
<b>Printing Speed</b>	35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
<b>Printing Resolution</b>	4,800 x 1,200 DPI
<b>Max Duty cycle</b>	75,000 pages per month
<b>Recommended Duty Cycle</b>	500 - 5,000 pages per month
<b>Colours</b>	Black, Cyan, Yellow, Magenta

---

## Scan

<b>Single-sided scan speed (A4 black)</b>	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan
<b>Doubled-sided scan speed (A4 black)</b>	200 dpi (with ADF); , 45 ipm with ADF scan
<b>Single-sided scan speed (A4 colour)</b>	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan
<b>Doubled-sided scan speed (A4 colour)</b>	200 dpi (with ADF); , 45 ipm with ADF scan
<b>Scanning Resolution</b>	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
<b>Optical Resolution (ADF)</b>	600 DPI x 600 DPI (Horizontal x Vertical)
<b>Advanced document integration</b>	Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device
<b>Output formats</b>	JPEG, TIFF, PDF
<b>Scanner type</b>	Contact image sensor (CIS)

---

## Fax

<b>Type of fax</b>	Walk-up black and white and colour fax capability
<b>Fax Transmission Speed</b>	upto 33.6kbps / Approx. 3 sec/page
<b>Error correction mode</b>	CCITU/ITU Group3 fax with Error Correction Mode
<b>Fax speed dials (max)</b>	2,000 names and numbers
<b>Page memory</b>	upto 550 pages/ 6MB (ITU-T No. 1 chart)
<b>Fax Functions</b>	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax

---

## Copy

<b>Copy Speed</b>	Up to 22 ipm Black, Up to 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
<b>Copy resolution (dpi)</b>	600 x 1200
<b>Reduction / Enlargement</b>	25 % - 400 % Auto fit function
<b>Maximum number of copies</b>	999
<b>Maximum Copy Size</b>	A3

---

## Connectivity

<b>Network Printing Protocols</b>	IPP, LPD, Port 9100, WSD
<b>Network Management Protocols</b>	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
<b>Interfaces</b>	USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac (WiFi 5), Wi-Fi Direct, USB host, Near Field Communication (NFC), USB 2.0 Type A (2x)
<b>WLAN Security</b>	WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES)
<b>Network Protocols</b>	TCP/IPv4, TCP/IPv6

---

## Paper / Media Handling

<b>Paper Formats</b>	A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+
<b>Automatic Document Feeder</b>	50 pages

<b>Compatible Paper Weight</b>	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
<b>Duplex</b>	Yes
<b>Standard Paper input</b>	1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray
<b>Output Tray Capacity</b>	250 Sheets
<b>multifunction</b>	1,750 Sheets Standard, 1,835 Sheets Maximum
<b>Standard paper tray(s)</b>	85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet
<b>Maximum paper input</b>	1,835
<b>Rear paper path (special media)</b>	Yes
<b>Number of paper trays</b>	3

---

## Paper Feed

<b>Paper Input Name</b>	RASF
<b>Paper Formats</b>	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
<b>Custom sizes</b>	Min 55x 330 mm to Max 127x 1,200 mm
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	85 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

---

## Paper Feed

<b>Paper Input Name</b>	C1
-------------------------	----

<b>Paper Formats</b>	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	250 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

<b>Paper Input Name</b>	C2-C4
<b>Paper Formats</b>	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	500 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

<b>Paper Input Name</b>	Duplex
<b>Paper Formats</b>	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 150 g/m <sup>2</sup>

---

## General

<b>Energy Use</b>	39 Watt (standalone copying, ISO/IEC 24712 pattern), 1.3 Watt (sleep mode), 18 Watt (ready), 0.2 Watt (Power off), TEC 0.2 kWh/week
<b>Supply Voltage</b>	AC 220 V - 240 V
<b>Product dimensions</b>	772 x 873 x 1,162 mm (Width x Depth x Height)

<b>Product weight</b>	104.8 kg
<b>Noise Level</b>	6.8 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 51 dB (A) according to ISO 9296
<b>Compatible Operating Systems</b>	Android 4.0+, Linux, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003, Windows Server 2003 (32/64bit), Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP SP3, Windows XP Professional x64 Edition SP2
<b>Sound Power</b>	Operation: 6.8 B (A)
<b>Sound Pressure</b>	Operation: 51 dB (A)
<b>Mobile &amp; Cloud printing services</b>	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
<b>Power Supply</b>	220V, 240V
<b>What's in the box</b>	Main unit, Power cable, Quick Setup Guide, User Manual (CD-ROM), Warranty card

---

## Additional Features

<b>Features</b>	Touchscreen, Direct scan-to-print without PC, Direct print from USB
<b>LCD screen</b>	Type: Colour, Touchscreen, Diagonal: 12.7 cm
<b>Media Handling</b>	Automatic duplex (A4/A3, plain paper), Rear specialty media feed, Thick Media Support
<b>Security Functions</b>	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

---

## Other

<b>Warranty</b>	12 months On-site service
-----------------	---------------------------

---

## Other Features

### **Emulations**

PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7

---