

---

<b>Printing Method</b>	PrecisionCore™ TFP print head
<b>Nozzle Configuration</b>	800 Nozzles Black, 800 Nozzles per Color
<b>Minimum Droplet Size</b>	4.6 pl
<b>Ink Technology</b>	DURABrite™ Pro
<b>Application</b>	Office Workgroup, Office Departmental
<b>All-in-One Functions</b>	Print

---

## Print

<b>First Page Out from Ready</b>	Monochrome 5.5 Seconds, Colour 5.5 Seconds
<b>Printing Speed ISO/IEC 24734</b>	24 pages/min Monochrome, 24 pages/min Colour
<b>Duplex Printing Speed ISO/IEC 24734</b>	16 A4 pages/min Monochrome, 16 A4 pages/min Colour
<b>Printing Speed ISO/IEC 24734 (A3)</b>	13 pages/min Monochrome, 13 pages/min Colour
<b>Duplex Printing Speed ISO/IEC 24734 (A3)</b>	11 A4 pages/min Monochrome, 11 A4 pages/min Colour
<b>Printing Speed</b>	35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
<b>Printing Resolution</b>	4,800 x 1,200 DPI
<b>Max Duty cycle</b>	75,000 pages per month
<b>Recommended Duty Cycle</b>	500 - 5,000 pages per month
<b>Colours</b>	Black, Cyan, Yellow, Magenta

---

## Connectivity

<b>Network Printing Protocols</b>	IPP, LPD, Port 9100, WSD
<b>Network Management Protocols</b>	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
<b>Interfaces</b>	USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac (WiFi 5), Near Field Communication (NFC)
<b>WLAN Security</b>	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise
<b>Network Protocols</b>	TCP/IPv4, TCP/IPv6

---

## Paper / Media Handling

<b>Paper Formats</b>	A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+
<b>Compatible Paper Weight</b>	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
<b>Duplex</b>	Yes
<b>Standard Paper input</b>	1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray
<b>Output Tray Capacity</b>	250 Sheets
<b>multifunction</b>	1,750 Sheets Standard, 1,835 Sheets Maximum
<b>Standard paper tray(s)</b>	85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet
<b>Maximum paper input</b>	1,835
<b>Rear paper path (special media)</b>	Yes
<b>Number of paper trays</b>	3

---

## Paper Feed

<b>Paper Input Name</b>	RASF
<b>Paper Formats</b>	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
<b>Custom sizes</b>	Min 55x 330 mm to Max 127x 1,200 mm
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	85 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

---

## Paper Feed

<b>Paper Input Name</b>	C1
<b>Paper Formats</b>	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	250 80gsm
<b>Media type</b>	Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

<b>Paper Input Name</b>	C2-C4
<b>Paper Formats</b>	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
<b>Compatible paper weight</b>	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
<b>Paper Capacity 1</b>	500 80gsm

**Media type** Plain Paper, Recycled Paper, Colour Paper, Letterhead

---

## Paper Feed

**Paper Input Name** Duplex

**Paper Formats** A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid

**Compatible paper weight** 64 g/m<sup>2</sup> - 150 g/m<sup>2</sup>

---

## General

**Energy Use** 37 Watt (standalone copying, ISO/IEC 24712 pattern), 1.2 Watt (sleep mode), 8.5 Watt (ready), 0.2 Watt (Power off), TEC 0.2 kWh/week

**Supply Voltage** AC 220 V - 240 V

**Product dimensions** 772 x 873 x 1,056 mm (Width x Depth x Height)

**Product weight** 94.3 kg

**Noise Level** 6.7 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 51 dB (A) according to ISO 9296

**Compatible Operating Systems** Android 4.0+, Linux, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003, Windows Server 2003 (32/64bit), Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP SP3, Windows XP Professional x64 Edition SP2

**Sound Power** Operation: 6.7 B (A)

**Sound Pressure** Operation: 51 dB (A)

**Mobile & Cloud printing services** Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print

**Power Supply** 220V, 240V

**What's in the box**

Main unit, Power cable, Quick Setup Guide, User Manual (CD-ROM), Warranty card

---

**Additional Features****LCD screen**

Type: Colour, Diagonal: 6.1 cm

**Media Handling**

Automatic duplex, Rear specialty media feed, Thick Media Support

**Security Functions**

Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

---

**Other****Warranty**

12 months On-site service

---

**Other Features****Emulations**

PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7

---