
Print method	Thermal line printing
---------------------	-----------------------

Technology	Thermal Line
-------------------	--------------

Fonts & Styles

Print Speed	200 mm/sec
--------------------	------------

Print Speed receipt	200 mm/sec
----------------------------	------------

Printing Font	ANK
----------------------	-----

Printing Font Receipt	ANK
------------------------------	-----

Column capacity receipt	Paper width 80 mm, 48 / 57
--------------------------------	----------------------------

Character set	95 Alphanumeric, 18 set International, 128 x 43 Graphic
----------------------	---

Dot density	203 DPI x 203 DPI
--------------------	-------------------

Printing Characters	Text (incl. Euro symbol), Graphics, Barcode
----------------------------	---

Paper

Paper Types	Receipt
--------------------	---------

Paper size	58 mm - 80 mm (Width)
-------------------	-----------------------

Paper size roll paper	57.50 ± 0.50 (W) mm x dia 18.00 mm, 57.50 ± 0.50 (W) mm x dia 83.00 mm, 79.50 ± 0.50 (W) mm x dia 18.00 mm, 79.50 ± 0.50 (W) mm x dia 83.00 mm
------------------------------	---

Interfaces

Interfaces	Wired Network, Bluetooth, USB 2.0 Type B, USB 2.0 Type A, Drawer kick-out
-------------------	---

Data Buffer

Data Buffer	12 kB
--------------------	-------

Power

Power Supply	AC adapter, C, EURO AC cable
---------------------	------------------------------

General

Product dimensions	127 x 127 x 127 mm (Width x Depth x Height)
---------------------------	---

Product weight	1.3 kg
-----------------------	--------

Colour	Black
---------------	-------

Installation	horizontally, vertically, wall hanging
---------------------	--

Interface connectors	D.K.D. function
-----------------------------	-----------------

Noise Level	Operation: 55 dB (A)
--------------------	----------------------

Humidity	Operation 10% - 90%, Storage 10% - 90%
-----------------	--

Temperature	Operation 5° C - 45° C, Storage -20° C - 60° C
--------------------	--

Reliability

Reliability	60,000,000 MCBF (Lines), 360,000 MTBF (Hours)
--------------------	---

Auto Cutter Life	1,500,000 Cuts
-------------------------	----------------

Printer Life	15,000,000 lines
---------------------	------------------

Print Head Life	100 km - 100,000,000 pulses
------------------------	-----------------------------

Other Features

NFC	Near Field Communication available
Cutter	Partial Cut
Sensors	Paper End Sensor, Paper sensor

What's in the box

What's in the box	AC adapter, C1, AC cable, Cable fixation saddle, Main unit, Paper spacer, Power switch cover, Roll paper, Setup guide, Warranty document
--------------------------	--

Other

Warranty	24 months Carry-in
-----------------	--------------------
