

# AKG Presenter Set Specs

## Receiver

---

Carrier Frequency	Band A: 530.025 to 559.00 MHz
Diversity	Antenna switching
RF Output	10, 20, or 50 mW (depending on frequency band)
Maximum Channel Output	Up to eight compatible channels within one frequency band
Frequency Selection	Fixed frequencies
Modulation	FM
Range	98' (30 m) Further distances can be achieved using external antennas
Audio Bandwidth	40 to 20,000 Hz ( $\pm 3$ dB)
Rack Mountable	1/2 RU
Dimensions (L x H x D)	5.91 x 1.77 x 7.87" (150 x 45.0 x 200 mm)
Weight	13.2 oz (373 g)

# Transmitter

---

Type	XLR-3F mini
Carrier Frequency	Band A: 530.025 to 559.00 MHz
Maximum Level	12 dB
Impedance	1 ohm
Audio Bandwidth	40 to 20,000 Hz ( $\pm 3$ dB)
Signal to Noise Ratio	105 dB-A
THD	0.8% at 1 kHz
Transmitter Synchronization	Manual
Battery Type	AA battery (LR 6 AA alkaline battery or HR 6 ASA NIHM rechargeable battery)
Battery Life	Six to eight hours on one AA battery
Dimensions	2.36 x 2.91 x 1.18" (60.0 x 74.0 x 30.0 mm)
Weight	2.12 oz (60 g)

# Packaging Info

---

Package Weight 2.7 lb

---

Box Dimensions (LxWxH) 17.087 x 13.386 x 3.228"

---