

AKG P120 Specs

Microphone

Diaphragm	0.667" / 16.94 mm
-----------	-------------------

Polar Pattern	Cardioid
---------------	----------

Pad	-20 dB
-----	--------

High-Pass Filter	300 Hz, 6 dB/Octave
------------------	---------------------

Performance

Frequency Range	20 Hz to 20 kHz
-----------------	-----------------

Maximum SPL	150 dB SPL
-------------	------------

Impedance	200 Ohms
-----------	----------

Load Impedance	1000 Ohms
----------------	-----------

Sensitivity	24 mV/Pa
-------------	----------

Signal-to-Noise Ratio	75 dB A-Weighted
-----------------------	------------------

Equivalent Noise Level	19 dB A-Weighted
------------------------	------------------

Connectivity

Output Connectors	1 x XLR 3-Pin
-------------------	----------------------

Power

Operating Voltage	44 to 52 V 48 V
-------------------	--------------------

Operating Current Consumption	3.0 mA
-------------------------------	--------

Physical

Operating Temperature	22 to 92°F / -10 to 60°C
-----------------------	--------------------------

Dimensions	ø: 2.13 x L: 6.5" / ø: 54 x L: 165.1 mm
------------	---

Weight	16.05 oz / 455 g
--------	------------------

Packaging Info

Package Weight	1.995 lb
----------------	----------

Box Dimensions (LxWxH)	9.7 x 7.5 x 3.25"
------------------------	-------------------
