

# Mackie DRM215 Specs

## PA Speaker

---

Configuration	Active
---------------	--------

---

Total Power Capacity	1600 W Peak
----------------------	-------------

---

Amplifier Class	Class-D
-----------------	---------

---

## Drivers

---

HF Driver	<b>1 x</b> 1.4" / 35.6 mm
-----------	---------------------------

---

LF Driver	<b>1 x</b> 15" / 38.1 cm Woofer
-----------	---------------------------------

---

## Performance

---

Frequency Response	43 Hz to 20 kHz -10 dB
--------------------	------------------------

---

Maximum SPL	135 dB
-------------	--------

---

Coverage Angle	90° H x 60° V
----------------	---------------

---

## Connectivity

---

Audio I/O	<b>2 x</b> Combo XLR-1/4" Line/Mic Input <b>1 x</b> 1/8" / 3.5 mm TRS Aux Input
-----------	--

---

## Signal Processing

---

EQ	Yes
----	-----

---

Alignment Delay	Yes
-----------------	-----

---

## Power

---

AC Input Power	<b>Universal:</b> 100 to 240 VAC, 50 / 60 Hz
----------------	---

---

## Physical

---

Mounting	<b>8 x</b> M10
----------	----------------

---

Construction Material	Metal Grille, Plywood
-----------------------	-----------------------

---

Dimensions	28.3 x 18.1 x 17" / 718.8 x 459.7 x 431.8 mm
------------	---

---

Weight	57.3 lb / 26 kg
--------	-----------------

---

# Packaging Info

---

Package Weight 62.25 lb

---

Box Dimensions (LxWxH) 32.5 x 22 x 20.5"

---