

SPECIFICATIONS

DISPLAY

Panel Size: 65"

Type/Tech: TFT LCD Module with DLED Backlight.

Display Area (mm): 1428.48(H) x 803.52(V) mm (64.5" diagonal)

Aspect Ratio: 16:9

Native Resolution: UHD 3840x2160(Pixels)

Colours: 1.07B colours (10bit)

Brightness: 350 nits (typ.)

Contrast Ratio: 1200:1 Typ.

Response Time: 8ms

Viewing Angles: H = 178, V = 178 typ.

Backlight Life: 30,000 Hours (Min)

Surface Treatment: Anti-Glare/anti finger print

Bezel: Slim

Orientation: Landscape

PLATFORM

Processor: Dual core A73+Dual core A53

RAM: 4GB DDR4

Storage: 32GB

TOUCH

Type/ Tech: PCAP

Touch Resolution: 32767 x 32767

Touch Point: 20 points touch, 10 points writing

INPUT

HDMI: 2.0 x1 (3840x2160 @60Hz)

DisplayPort: X1 1.4

RS232: x1

OPS: x1 PC Slot

OUTPUT

HDMI: X1(4K2K@60Hz)

Audio: x1 (Earphone out)

SPDIF: 1(optical)

LAN

RJ45: x1

USB

Type A: USB 3.0 x3

Type B: USB 3.0 x2, for touch

Type C: x1 USB3.0, DP1.4 Alternate mode, Ethernet, PD 60W

SPEAKERS

SPEAKERS: 10W x 2 + 15W x 1 subwoofer

CAMERA PLATE ON TOP FOR SCREW-IN WEBCAM INSTALLATION

Camera plate on top for screw-in webcam installation: Yes

BUNDLE SOFTWARE

Basic Annotation Software: myViewBoard for android

Pro Annotation Software: myViewBoard for windows (Embedded in Windows Slot-in PC)

Wireless Presentation with Touch Feedback: Viewboard Cast: ViewBoard Cast

POWER

Voltage: 100-240VAC +/- 10% Wide Range

Consumption: On:178.7(Typ.)

Off: <0.5W

ERGONOMICS

Wall Mount (VESA®): 600 x 400

OPERATING CONDITIONS

Temperature (° C): 0°C to 40°C

Humidity: 10% ~ 90% RH non-condensing

DIMENSIONS (W X H X D)

Physical (inch / mm): 1493X883X84(mm)

58.77x34.76x3.3(inch)

Packaging (inch / mm): 1669X1010X223(mm)

65.7X39.7X8.7(inch)

WEIGHT

Net (lb / kg): 94.79 lb/43Kg
Gross (lb / kg): 110.23 /51Kg

REGULATIONS

REGULATIONS: FCC, cTUVus, CB, CE, RCM,

ENERGY STAR VERSION

Energy Star version: ES8.0

EEI RATING

EEI rating: A+

PROAV CERTIFICATE READINESS

Crestron: 75%
Extron: 20%
AMX: 0%

PACKAGE CONTENTS

PACKAGE CONTENTS: 1. Power cable x 4
2. Remote control
3. AAA battery X2
4. USB cable Type C
5. activeTouch pen x 2
6. Pen Charger X1
7. Quick Start Guide
8. RS232 adapter
9. Clamp x 7
10. Camera
11. Screw x 6 (4 for wall mount ,2 for sensor hub)
12. HDMI cable
13. Sensor hub
14 .Touch USB cable
15. Micro USB cable for camera

COMPATIBLE SLOT-IN PC

Compatible Slot-in PC: VPC14-WP series
VPC10-WP series
VPC15-WP series
VPC16-WP series
VPC17-WP series
