

## Specification

---

### Brand-specific features

Dell Display Manager (DDM) compatibility:



### Design

Certification: TCO, NFPA 99

RoHS compliance:



BRF free:



PVC free:



Feet colour:

Black/Silver

Product colour:

Black

Energy Star certified:



Market positioning:

Business

### Display

DDC/CI:



Colour gamut:

99%

Viewable size diagonal:

68.5 cm

Viewable size, vertical:

33.6 cm

Viewable size, horizontal:

59.7 cm

Vertical scan range:

49 - 75 Hz

Horizontal scan range:

29 - 113 kHz

Pixel density:

108 ppi

Pixel pitch:

0.233 x 0.233 mm

Display diagonal (metric):

68.6 cm

Response time (fast):

5 ms

Display number of colours:

1.67 billion colors

<u>Viewing angle, vertical:</u>	178??
<u>Viewing angle, horizontal:</u>	178??
Maximum refresh rate:	60 Hz
<u>Contrast ratio (typical):</u>	1000:1
<u>Supported video modes:</u>	480i,480p,576i,576p,720p,1080i,1080p,1440p

640 x 480 (VGA),720 x 400,800 x 600 (SVGA),1024 x 768 (XGA),1152 x 864 (XGA+),1280 x 1024 (SXGA),1280 x 768 (WXGA),1600 x 1200 (UXGA),1680 x 1050 (WSXGA+),1920 x 1080 (HD 1080),1920 x 1200 (WUXGA),2048 x 1080,2560 x 1440




Supported graphics resolutions:

Screen shape:	Flat
Backlight type:	W-LED
<u>Display technology:</u>	LCD
<u>HD type:</u>	Quad HD
Panel type:	IPS

3D: 

<u>Response time:</u>	8 ms
<u>Native aspect ratio:</u>	16:9
<u>Display resolution:</u>	2560 x 1440 pixels
Display brightness (typical):	350 cd/m??
<u>Display diagonal:</u>	68.6 cm (27")

**Ergonomics**

<u>Plug and Play:</u>	
On Screen Display (OSD):	
Tilt angle range:	-5 - 21??
<u>Tilt adjustment:</u>	
Swivel angle range:	-45 - 45??

Pivot:	
Pivot angle:	-90 - 90??
Swivelling:	
<u>Height adjustment:</u>	13 cm
<u>Height adjustment:</u>	
<u>On/off switch:</u>	
<u>Cable lock slot:</u>	
Panel mounting interface:	100 x 100 mm
VESA mounting:	

### Multimedia

<u>TV tuner integrated:</u>	
<u>Built-in camera:</u>	
<u>Built-in speaker(s):</u>	

### Operational conditions

Non-operating altitude:	0 - 12192 m
Operating altitude:	0 - 5000 m
Storage relative humidity (H-H):	10 - 90%
Operating relative humidity (H-H):	10 - 80%
<u>Storage temperature (T-T):</u>	-20 - 60 ??C
<u>Operating temperature (T-T):</u>	0 - 40 ??C

### Packaging data

<u>Package weight:</u>	9.13 kg
Manual:	
Cables included:	AC,DisplayPort,USB

Stand included: 


## Performance

Flicker-free technology: 

AMD FreeSync: 

NVIDIA G-SYNC: 

## Ports & interfaces

AC (power) in: 

Headphone out: 

Audio input: 

DisplayPort version: 1.2

DisplayPorts quantity: 1

HDMI version: 1.4

HDMI ports quantity: 1

HDMI: 

DVI port: 

USB Type-A downstream ports quantity: 4

Number of upstream ports: 1

USB upstream port type: USB Type-B

USB hub version: 3.2 Gen 1 (3.1 Gen 1)

Built-in USB hub: 

## Power

Current rating: 1.6 A

AC input frequency: 50/60 Hz

AC input voltage: 100 - 240 V

Power consumption (PowerSave):	19 W
Power consumption (off):	0.3 W
<u>Power consumption (max):</u>	55 W
<u>Power consumption (standby):</u>	0.3 W
<u>Power consumption (typical):</u>	24 W
<u>Annual energy consumption:</u>	29 kWh
<u>Energy efficiency class:</u>	A+
Energy efficiency scale:	A+++ to D

### **Weight & dimensions**

Bezel width (bottom):	2.11 cm
Bezel width (top):	7.4 mm
Bezel width (side):	7.4 mm
Weight (with stand):	6.87 kg
Height (with stand):	525.3 mm
Depth (with stand):	185 mm
Width (with stand):	611.6 mm
<u>Weight:</u>	4.57 kg
<u>Height:</u>	364.1 mm
<u>Depth:</u>	43.6 mm
<u>Width:</u>	611.6 mm