Specifications

SKU			
Sku	2LB19A		
PRINT			
Color or black	Color		
Print speed, black	<=10		
Print speed, color	<=10		
FEATURE	FEATURES		
Functions	Print only		
Features	Ink tank system		
USAGE			
Usage	Home and home office		
Perfect for	Home		
CATEGOF	RY		
Family brand	Deskjet		
Product types	Ink tank printers, Inkjet printers		
PRINTING	PRINTING MEDIA HANDLING		
Finished output handling	Sheetfed		

Envelope input capacity	Up to 5 envelopes
Output capacity	Up to 25 sheets
Maximum output capacity (sheets)	Up to 25 sheets
Paper handling input, standard	60-sheet input tray
Paper handling input, optional	No
Input capacity	Up to 60 sheets
Paper handling output, standard	25-sheet output tray
Standard output capacity (envelopes)	Up to 5 envelopes
Maximum input capacity (sheets)	Up to 60 sheets
Standard input capacity (envelopes)	Up to 5

Maximum input capacit (transparenc		
Maximum input capacity (cards)	Up to 20 cards	
Maximum input capacity (10x15cm photos)	Up to 20 sheets	
Standard output capacity (legal)	Up to 25 sheets	
Maximum input capacity (photo paper)	Up to 20 sheets	
Maximum input capacity (4x6 photo)	Up to 20 sheets	
Standard input capacity (legal)	Up to 60 sheets	
Standard input capacity (cards)	Up to 20 cards	
Maximum input capacity (labels)	Up to 10 sheets	

Maximum output capacity (photo paper)	Up to 20 sheets
Maximum output capacity (cards)	Up to 20 cards
Standard inp capacity (transparenc	
Standard output capacity (cards)	Up to 20 cards
Standard output capacity (labels)	Up to 10 sheets
Maximum output capacity (labels)	Up to 25 sheets
Maximum output capacity (envelopes)	Up to 5 envelopes
DISPLAY S	PECIFICATIONS
Display	7 segment + icon LCD
CARTRIDG	ES AND PRINTHEADS
Technology	Ink
Number of print cartridges	1 black bottle, set of 3 color bottles

Ink types	Pigment-based (black); Dye-based (color)
Print heads	2 (1 black, 1 Tri-color [cyan, magenta, yellow])
Color(s) of printing supplies	Black, Cyan, Magenta, Yellow
Print head nozzles	328 (Black), 588 (Tri-color)
Replacement cartridges	M0H57AL HP GT51 Black Original Ink Bottle (~4,000 pages); M0H54AL HP GT52 Cyan Original Ink Bottle; M0H55AL HP GT52 Magenta Original Ink Bottle; M0H56AL HP GT52 Yellow Original Ink Bottle (~8,000 pages). Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For more information about fill and yield, see http://hp.com/go/learnaboutsupplies.
Print colors maximum	4
BATTERY A	ND POWER
Power	Input voltage 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). High voltage: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
Power supply type	Internal
PRINT TIME	Ξ
First page out black (letter, ready)	As fast as 14 sec

First page out black (A4, ready)	As fast as 14 sec
First page out color (A4, ready)	As fast as 18 sec
First page out color (letter, ready)	As fast as 18 sec
PRINTER	SPECIFICATIONS
Storage device and direct print support	Storage devices not supported
Duty cycle (monthly, letter)	Up to 1000 pages
Envelope feeder	No
Recommend monthly pag volume note	led Up to 1000 pages
Functions	Print
Print languages	HP PCL 3 GUI
Paper trays, maximum	1

Duty cycle (monthly, A4)	Up to 1000 pages
Paper trays, standard	1
Recommend monthly pag volume	
Print technology	HP Thermal Inkjet
Duplex printing	Manual (driver support provided)
Fonts and typefaces	Yes
Automatic paper sensor	No
Memory card compatibility	No y
Print colours	Yes
Borderless printing	Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Printer drivers included	HP PCL 3 GUI
Photo proofsheets supported	No
Vertical alignment accuracy	+/- 0.042 mm

CERTIFICATION AND COMPLIANCE

ENERGY STAR® certified	Yes
Electromagn Emission Standard	CISPR 22: 2008/EN 55022: 2010 Class B, CISPR24: 2010/EN 55024: 2010, EN 61000-3-2: 2006+ A1:2009+ A2:2009, EN 61000-3-3: 2013, FCC CFR 47 Part 15 Class B; ICES-003, Issue 5 Class B; GB4943.1-2011 (CCC S&E -China), CNS 14336: 1999 & CNS13438 (BSMI-Taiwan), VCCI-2 (Japan), GOST (Russia); KCC (Korea)
Environment	tal No
GEOGRAP	HIC
Country of origin	Made in China
Geographic availability	ΕΜ
ENVIRONM	1ENTAL
Non- Operating Humidity Range	5 to 90% RH (non-condensing)
Operating humidity range	15 to 80% RH (non-condensing)
Storage temperature range	-40 to 60°C
Operating temperature range	5 to 40°C
Acoustic pressure emissions	47 dB

Acoustic power emissions	6.0 B(A)
Recommende operating temperature range	ed 15 to 30°C
WARRANT	Y
Warranty	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
MEMORY	
Memory slots	None
Memory	Integrated
Memory, maximum	Integrated
Standard memory note	Integrated
DIMENSION	NS
Dimensions without stand (W x D x H)	523 x 284 x 138.5 mm
Package dimensions (W x D x H)	573 x 389 x 195 mm
Maximum dimensions (W x D x H)	523 x 569.75 x 259.7 mm

Dimensions with trays up (W x D x H)	524 x 284 x 138.5 mm
WEIGHTS	
Weight	3.4 kg
Package weight	5.53 kg
CONNECT	IVITY AND COMMUNICATIONS
Connectivity standard	y, No
Network capabilities	None
Wireless capability	No
Mobile printing capability	Mobile Print Capability not supported
Network protocols, supported	None
SYSTEM C	COMPONENTS
Control panel	5 LEDS and 5 buttons
PROCESS	OR
Processor speed	360 MHz
BOX CON	TENTS
Cable included	Yes, 1.5 m USB cable
SUPPORT	ED PRINTING MEDIA

Media sizes supported	A4; B5; A6; DL envelope (Note: Many other sizes are also supported. Any size between 3 x 5" and 8.5 x 14")
Standard media sizes (duplex)	Not Applicable
Media weight, supported	A4: 60 to 90 g/m ² ; HP envelopes: 75 to 90 g/m ² ; HP cards: up to 200 g/m ² ; HP 10 x 15 cm photo paper: up to 300 g/m ²
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Photo Inkjet Papers, Matte Inkjet Papers, Glossy Inkjet Papers
Media sizes, custom	76.2 x 127 to 215 x 355 mm
Media weight, recommende	75 g/m ² d
SYSTEM R	EQUIREMENTS
Minimum System Requirement for Macintosh	OS X v10.10 Yosemite, 1.5 GB Available Space, Internet Access; OS X v10.11 El Capitan, 1.5 GB Available Space, Internet Access; macOS Sierra v10.12 (previously OS X), 1.5 GB Available Space, Internet Access
Minimum System Requirement	 Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 800 MHz 32-bit (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8

SOFTWARE AND APPLICATIONS

Mac compatible	Yes
Software included	HP Printer Software, HP Photo Creations
SUPPORT	ED OPERATING SYSTEMS
Compatible Operating Systems	Windows 10, 8.1, 8, Windows Vista, Windows XP SP3 or higher (32-bit only), OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS Sierra v10.12 (previously OS X), Linux OS
Operating system (supported note)	Windows 10, 8.1, 8, Windows Vista, Windows XP SP3 or higher (32-bit only), OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS Sierra v10.12 (previously OS X), Linux OS
PRINT SPE	ED
Print speed black (normal, A4)	Up to 8 ppm
Print speed black (draft, A4)	Up to 19 ppm
Print speed colour (normal, A4)	Up to 5 ppm
Print speed colour (draft, A4)	Up to 15 ppm

Print speed black (ISO)	Up to 8 ppm	
Print speed color (ISO)	Up to 5 ppm	
PRINT RESOLUTION		
Print quality black (best)	Up to 1200 x 1200 rendered dpi	
Print quality color (best)	Up to 4800 x 1200 optimized dpi color (when printing from a computer and 1200 input dpi)	
PRINT AREA		
Maximum print area	216 x 355 mm	
Right margin (A4)	3 mm	
Top margin (A4)	3 mm	
Bottom margin (A4)	3 mm	
Left margin (A4)	3 mm	
SERVICES	6	

Services
(Care
Pack)HP 2-year Care Pack w/Next Day Exchange
(UG605A); HP 3-year Care Pack w/Next Day
Exchange (UG608A)

ADVANCED FEATURES

Printer	Manual Duplex
smart	-
software	
features	

Energy savings feature technology

COMPATIBILITY

Accessories N

None

Orderable supplies	LAR: HP GT51XL Black Original Ink Bottle (135cc) X4E40AL, HP GT52 Cyan Original Ink Bottle (70cc) M0H54AL, HP GT52 Magenta Original Ink Bottle (70cc) M0H55AL, HP GT52 Yellow Original Ink Bottle (70cc) M0H56AL; EMEA: HP GT51XL Black Original Ink Bottle (135cc) X4E40AE; HP GT52 Cyan Original Ink Bottle (70cc) M0H54AE, HP GT52 Magenta Original Ink Bottle (70cc) M0H55AE, HP GT52 Yellow Original Ink Bottle (70cc) M0H55AE, HP GT52 Yellow Original Ink Bottle (70cc) M0H56AE; NA/AP: HP GT51XL Black Original Ink Bottle (135cc) X4E40AA, HP GT52 Cyan Original Ink Bottle (70cc) M0H54AA, HP GT52 Magenta Original Ink Bottle (70cc) M0H55AA, HP GT52 Yellow Original Ink Bottle (70cc) M0H56AA, Black ~6000 pages, Color ~8000 pages; Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For more information about fill and yield, see http://hp.com/go/learnaboutsupplies.
--------------------	---

PRODUCT NAMES

Sub- Deskjet brand name

MULTIMEDIA AND INPUT DEVICES

Camera	No
phone	
supported	

Camera No phone description

CAMERA SPECIFICATIONS

Video action printing supported	No	
PictBridge supported	No	
HP Real Life technologies ^T		
PRODUCT DESCRIPTION		
Product description disclaimer	Dynamic security enabled printer. Intended to be used with cartridges using only HP original electronic circuitry. Cartridges with modified or non- HP electronic circuitry may not work, and those that work today may not work in the future. More at: <u>http://www.hp.com/go/learnaboutsupplies</u>	