## Specifications

SKU		
Sku	4SR29A	
PRINT		
Print speed, black	11 - 20	
Color or black	Color	
Print speed, color	<=10	
CATEGOR	RY	
Product types	Inkjet printers	
Family brand	Smart tank	
USAGE		
Perfect for	Home	
Usage	Home and home office	
FEATURES		
Features	Ink tank system, Scan to PDF	
<b>Functions</b>	Print scan and copy	
CONNECTIVITY AND COMMUNICATIONS		
Connectivity optional	y, None	
Modem	None	

Connectivity standard	y, Hi-Speed USB 2.0
Wireless capability	No
Mobile printing capability	USB Only
Network protocols, supported	9100, SLP, IPP, WS-Print, LPR
PRINTING	MEDIA HANDLING
Finished output handling	Sheetfed
Envelope input capacity	Up to 10 envelopes
Output capacity	Up to 30 sheets
Maximum output capacity (sheets)	Up to 30 sheets
Paper handling input, standard	100-sheet input tray
Input capacity	Up to 100 sheets
Paper handling output, standard	30-sheet output tray

Standard output capacity (envelopes)	Up to 10 envelopes
Maximum input capacity (sheets)	Up to 100 sheets
Standard input capacity (envelopes)	Up to 10
Maximum input capacity (cards)	Up to 30 cards
Maximum input capacity (10x15cm photos)	Up to 30 sheets
Standard output capacity (legal)	Up to 30 sheets
Maximum input capacity (photo paper)	Up to 30 sheets
Maximum input capacity (4x6 photo)	Up to 30 sheets
Standard input capacity (legal)	Up to 100 sheets

Standard input capacity (cards)	Up to 30 cards
Maximum output capacity (photo paper)	Up to 30 sheets
Maximum output capacity (cards)	Up to 30 cards
Standard output capacity (cards)	Up to 30 cards
Maximum output capacity (envelopes)	Up to 10 envelopes
DISPLAY S	SPECIFICATIONS
Display	7 segment + 2-inch icon display
SCAN SPE	EED
Scan speed (normal, letter)	Up to 4 ppm color, up to 8 ppm, mono
Scan speed (normal, A4)	Up to 4 ppm color, up to 8 ppm, mono
CARTRIDO	SES AND PRINTHEADS
Technology	Ink

Number of print cartridges	4 (1 each black bottle, set of 3 color bottles)
Ink types	Dye-based (black); Pigment-based (color)
Print heads	2 (1 each black, tri-color)
Color(s) of printing supplies	Black; Cyan; Magenta; Yellow
Print head nozzles	704 (Black), 588 (Tri-color)
Replacement	EMEA: HP GT53 90-ml Black Original Ink Bottle 1VV22AE; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle M0H54AE; HP GT52 Magenta Original Ink Bottle M0H55AE; HP GT52 Yellow Original Ink Bottle M0H56AE; HP GT51XL 135-ml Black Original Ink Bottle X4E40AE. LAR: HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle M0H54AL; HP GT52 Magenta Original Ink Bottle M0H55AL; HP GT52 Yellow Original Ink Bottle M0H56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL. AP: HP GT53 90-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle 1VV21AA; HP GT52 Magenta Original Ink Bottle M0H54AA; HP GT52 Magenta Original Ink Bottle M0H55AA; HP GT52 Yellow Original Ink Bottle M0H56AA
Print colors maximum PRINT SPE	4
Print speed black (normal, letter)	Up to 11 ppm

Print speed black (normal, A4)	Up to 11 ppm
Print speed black (draft, A4)	Up to 22 ppm
Print speed colour (normal, A4)	Up to 5 ppm
Print speed	Print speed up to 11 ppm (black) and 5 ppm (color)
Print speed color (normal, letter)	Up to 5 ppm
Print speed colour (normal, 4x6 photo)	As fast as 76 sec
Print speed colour (draft, A4)	Up to 16 ppm
Print speed black (ISO)	Up to 11 ppm

Print speed color (ISO)	Up to 5 ppm	
Print speed color (draft, letter)	Up to 16 ppm	
Print speed colour (normal, 10x15 photo)	As fast as 76 sec	
BATTERY	BATTERY AND POWER	
Power	Input voltage 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). High voltage: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz)	
Power Consumption Description		
Power supply type	Internal built in	
PRINT TIN	ΛE	
First page out black (letter, ready)	As fast as 14 sec	
First page out black (A4, ready)	As fast as 14 sec	

First page out color (A4, ready)	As fast as 20 sec
First page out color (letter, ready)	As fast as 20 sec
PRINTER:	SPECIFICATIONS
Multitasking supported	g No
Duty cycle (monthly, letter)	Up to 1000 pages
Envelope feeder	No
<b>Functions</b>	Print, copy, scan
Print languages	HP PCL 3 GUI
Paper trays, maximum	1
Duty cycle (monthly, A4)	Up to 1000 pages
Paper trays, standard	1
Recommend monthly pag volume	led 400 to 800 ge

	Print technology	HP Thermal Inkjet
	<b>Duplex</b> printing	Manual (driver support provided)
	Automatic paper sensor	No
	Printer management	No
	Print colours	Yes
	Top key features	Scan to PDF
	Target user and print volume	Prints up to 800 pages/month
	<b>Borderless</b> printing	Yes (up to 8.5 x 11 in, 210 x 297 mm)
	Printer drivers included	HP PCL 3 GUI
	Photo proofsheets supported	No
	Vertical alignment accuracy	+/- 0.02 mm
	CERTIFICA	TION AND COMPLIANCE
	ENERGY STAR® certified	No

Energy
<b>Energy Efficiency</b>
Compliance

## **ENERGY STAR®** qualified

CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3- 2:2014; EN 61000-3-3:2013; FCC CFR 47 Part 15B; ICES-003,2016 Issue 6; GB4943.1-2011, GB/T9254-2008, GB17625.1-2012 (CCC China); CNS14336-1, CNS13438 & CNS15663 (BSMI RoHS -Taiwan); EAC (Russia)
Safety Approvals and Requirements  IEC 60950-1 & IEC 62368-1 compliant; Safety UL listed; EU LVD and EN 60950 & EN 62368 compliant; UL GS approved; Singapore Safety; Russia EAC; China CCC; Taiwan BSMI
Environmental No
GEOGRAPHIC
Country of origin Product of China
Geographic WW, EM availability
ENVIRONMENTAL
Non- Operating Humidity Range
Operating humidity range 15 to 80% RH (non-condensing)
Storage -40 to 60°C temperature range
Operating 5 to 40°C temperature range

Acoustic pressure emissions	51 dBA
Acoustic power emissions	6.5 B(A)
Recommend operating temperature range	
WARRANT	Υ
Warranty	One year of 24/7 world-class technical support services through http://www.hp.com/support; One-year or 30,000 pages limited hardware warranty, whichever is earlier from the date of purchase; user replaceable parts have separate warranty periods
MEMORY	
<b>Memory</b> slots	No
Memory	256 MB; Integrated memory
Memory, maximum	256 MB
DIMENSIO	NS
Dimensions without stand (W x D x H)	447 x 373 x 158 mm
Package dimensions (W x D x H)	495 x 198 x 480 mm
Maximum dimensions (W x D x H)	449 x 605.65 x 258.7 mm

Package dimensions (W x D x H)	19.49 x 7.8 x 18.9 in	
Dimensions with trays up (W x D x H)	447 x 373 x 158 mm	
WEIGHTS		
Weight	5.14kg	
Package weight	7.25 kg	
Package weight	15.99 lb	
FAX SPEC	FAX SPECIFICATIONS	
Remote retrieval	No	
SYSTEM C	COMPONENTS	
Control panel	3 LEDs and 6 buttons (cancel, resume, colorcopy, blackcopy, info, power button), with one ICON LCD for display	
PROCESSOR		
Processor speed	1.2 GHz	
SCAN RESOLUTION		
Scan Resolution, Hardware	Up to 1200 x 1200 dpi	
Enhanced scanning resolution	Up to 1200 dpi	

Scan Resolution, Optical	Up to 1200 dpi	
Scan resolution enhanced disclaimer	Up to 1200 ppi	
BOX CONT	ΓENTS	
Cable included	WW: No, please purchase (USB) cable separately; AP and LAR: Yes, 1.5 m (USB) cable (except Taiwan, Hong Kong and Singapore)	
SUPPORT	SUPPORTED PRINTING MEDIA	
Media sizes supported	A4; B5; A6; DL envelope, legal	
Standard media sizes (duplex)	A4; B5	
Media weight, supported	Plain paper: 60 to 90 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 300 g/m²	
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Inkjet Hagaki, Plain Paper, Thick, HP Tri-fold Brochure Paper, Glossy, Plain Paper, Light/Recycled	
Media sizes, custom	76.2 x 127 mm to 215.9 x 355.6 mm	
Media weight, recommende	$75 \text{ g/m}^2$ ed	

Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media weight, supported	Plain paper: 16 to 24 lb; Envelopes: 20 to 24 lb; Cards: up to 110 lb; Photo paper: up to 80 lb
Standard media sizes (duplex, imperial)	Letter; Executive
Media sizes supported	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes
Media sizes, custom	3 x 5 in to 8.5 x 14 in
Media weight, recommended	20 lb
SYSTEM REQUIREMENTS	
Minimum System Requirements for Macintosh	macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, 1 GB HD; Internet; USB
Minimum System Requirements	Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8.
SOFTWARE AND APPLICATIONS	

Mac compatible	Yes
Software included	None
SUPPORTED OPERATING SYSTEMS	
Compatible Operating Systems	Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14
Operating system (supported note)	Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14
PRINT RESOLUTION	
Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi
RACK AND POWER SPECIFICATIONS	
Typical electricity consumption (TEC) number	0.13 kWh/Week
Number of users	1-3 Users
PRINT AREA	
Maximum print area	216 x 355 mm

Right margin (A4)	3 mm	
Top margin (A4)	3 mm	
Bottom margin (A4)	3 mm	
Left margin (A4)	3 mm	
DIGITAL SE	ENDER SPECIFICATIONS	
File formats, supported	BMP; PDF; JPG; PNG; TIF	
Send to email capability	No	
SCANNER	SCANNER SPECIFICATIONS	
Scan file format	JPG, BMP, TIFF, PDF, RTF, TXT, PNG	
Color scanning	Yes	
Scanner type	Flatbed	
Scan size, maximum	216 x 297 mm	
Levels of grayscale	256	
Scan input modes	Front Panel Scan; Copy; HP Software	

<b>Bit Depth</b>	24-bit
Twain version	Version 2.1
Scan technology	Contact Image Sensor (CIS)
Scan size, maximum	8.5 x 11.69 in
COPIER S	PECIFICATIONS
Copies, maximum	Up to 99 copies
Colour copy capability	Yes
COMPATIE	BILITY
Accessories	None
<b>Orderable supplies</b>	EMEA: HP GT53 90-ml Black Original Ink Bottle 1VV22AE; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle M0H54AE; HP GT52 Magenta Original Ink Bottle M0H55AE; HP GT52 Yellow Original Ink Bottle M0H56AE; HP GT51XL 135-ml Black Original Ink Bottle X4E40AE. LAR: HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle M0H54AL; HP GT52 Magenta Original Ink Bottle M0H55AL; HP GT52 Yellow Original Ink Bottle M0H56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL. AP: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle M0H54AA; HP GT52 Cyan Original Ink Bottle M0H54AA; HP GT52 Magenta Original Ink Bottle M0H55AA; HP GT52 Yellow Original Ink Bottle M0H56AA
MULTIMEDIA AND INPUT DEVICES	

Fax phone TAM interface supported	No	
Camera phone supported	No	
Fax phone features	No	
Camera phone description	No	
PRODUC <sup>-</sup>	PRODUCT NAMES	
Sub- brand name	Smart Tank	
ADVANCE	ADVANCED FEATURES	
Energy savings feature technology	HP Auto-Off Technology	
COPY SP	COPY SPEED	
Copy speed color (ISO)	Up to 2 cpm	
Copy speed black (ISO)	Up to 10 cpm	
CAMERA	CAMERA SPECIFICATIONS	

Output file format	JPEG
Video action printing supported	No
PictBridge supported	No
PictBridge description	No
APPEARANCE	
Color	Light Basalt