## HP OfficeJet 7110 Wide Format ePrinter - H812a { Specifications }

PRINT SPEED BLACK	ISO Laser comparable, Professional Mode: Up to 15 ppm, General Office Mode: Up to 33 ppm Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims
PRINT SPEED COLOR	ISO Laser comparable, Professional Mode: Up to 8 ppm, General Office Mode: Up to 26 ppm Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims
PAGE YIELD FOOTNOTE	For information on cartridge page and photo yields, see hp.com/go/pageyield
FIRST PAGE OUT (READY)	Black: As fast as 15 sec
PRINT QUALITY BLACK (BEST)	Black: Up to 600 x 1200 dpi Color: Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)
DUTY CYCLE (MONTHLY, A4)	Up to 12,000 pages
RECOMMENDED MONTHLY PAGE VOLUME	200 to 800 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
PRINT QUALITY COLOR (BEST)	Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)
PRINT TECHNOLOGY	HP Thermal Inkjet
DISPLAY	None
PROCESSOR SPEED	500 MHz
NUMBER OF PRINT CARTRIDGES	4 (1 each black, cyan, magenta, yellow)
REPLACEMENT CARTRIDGES	HP 932 Black Officejet Ink Cartridge (~400 pages); HP 932XL Black Officejet Ink Cartridge (~1000 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933 Magenta Officejet Ink Cartridge (~330 pages); HP 933 Yellow Officejet Inkjet Cartridge (~330 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933XL Magenta Officejet Ink Cartridge (~825 pages); HP 933XL Yellow Officejet Inkjet Cartridge (~825 pages); [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]
PRINT LANGUAGES	HP PCL 3 GUI, HP PCL 3 Enhanced
HP EPRINT CAPABILITY	Yes
MOBILE PRINTING CAPABILITY	HP ePrint; Apple AirPrint <sup>™</sup>
WIRELESS CAPABILITY	Yes, built-in Ethernet, Wi-Fi 802.11b/g/n
CONNECTIVITY, STANDARD	1 USB 2.0; 1 Ethernet; 1 Wireless 802.11b/g/n
MINIMUM SYSTEM REQUIREMENTS	Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD- ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32- bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel Pentium II, Celeron or 233 MHz compatible processor, 750 MB HD, Microsoft Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion OS X v10.10

	Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra; 1GB HD, CD-ROM/DVD-ROM or Internet, USB. Linux (For more information, see http://hplipopensource.com/hplip- web/index.html)
MINIMUM SYSTEM REQUIREMENTS FOR MACINTOSH	OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra, OS v10.15 Catalina; 1GB HD, CD- ROM/DVD-ROM or Internet, USB
COMPATIBLE OPERATING SYSTEMS	Windows 10 (32bit & amp; 64-bit), Windows 8.1 (32bit & amp; 64-bit), Windows 8 (32bit & amp; 64-bit), Windows 7 (32bit & amp; 64-bit), Windows Vista (32bit & amp; 64-bit), Windows XP (32bit) SP3 or greater, Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Not supporting: Windows 2000 (SP4), Windows XP Professional x64 (SP1)
MEMORY, STANDARD	16 MB (ROM); 128 MB (DDR RAM)
MAXIMUM MEMORY	16 MB (ROM); 128 MB (DDR RAM)
PAPER HANDLING INPUT, STANDARD	250-sheet input tray
PAPER HANDLING OUTPUT, STANDARD	75-sheet output tray
DUPLEX PRINTING	Automatic (optional)
MAXIMUM INPUT CAPACITY (ENVELOPES)	Up to 30 envelopes
BORDERLESS PRINTING	Yes (up to 13 x 19 in, 330 x 483 mm)
MEDIA SIZES SUPPORTED	A4, A6, B5 (JIS), 6 x 8 in, Executive, Index card 3 x 5 in, Index card 4 x 6 in, Index card 5 x 8 in, Index card A4, Index card Letter, 3 x 5 in, 4 x 6 in/10 x 15 cm, 5 x 7 in/13 x 18 cm, 8 x 10 in, 10 x 15 cm, L, Photo 2L, 8.5 x 13 in, Legal, Letter, Statement, Ofuku Hagaki, Hagaki Card 100 x 148 mm/Japanese Postcard, Envelope #10, Envelope A2, Envelope C5, Envelope C6, Envelope DL, Envelope Monarch, Card envelope 4.4 x 6 in, JIS Chou #3, JIS Chou #4, 11 x 14 in, 12 x 12 in, B4 (JIS), Tabloid, Super B, A3, A3+ 330 x 483 mm
MEDIA TYPES	Paper (brochure, inkjet, plain), photo, envelopes, cards (index)
MEDIA WEIGHTS, RECOMMENDED	60 to 105 g/m <sup>2</sup>
MEDIA WEIGHT, SUPPORTED	34 to 250 g/m <sup>2</sup>
POWER	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
POWER CONSUMPTION	30.3 watts maximum, 25.4 (Active), 0.31 watts (Manual-Off), 1.92 watts (Standby), 1.04 watts (Sleep) Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
OPERATING TEMPERATURE RANGE	5 to 40°C
RECOMMENDED OPERATING HUMIDITY RANGE	25 to 75% RH non-condensing
MINIMUM DIMENSIONS (W X D X H)	585 x 419 x 189 mm (trays closed)
WEIGHT	8.5 kg
PACKAGE WEIGHT	12.7 kg
WHAT'S IN THE BOX	HP Officejet 7110 ePrinter; Print Head Assembly; HP 932 Black Officejet Ink Cartridge (~ 400 pages); HP 933 Cyan Officejet Ink Cartridge & HP 933 Magenta Officejet Ink Cartridge & HP 933 Yellow Officejet Ink Cartridge: composite yield (~330 pages); shopping card; power cord; CD-ROM; USB cable; LAN cable; Setup poster, Getting started guide. [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and

other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]

CABLE INCLUDED

Yes, 1 USB; 1 LAN

WARRANTY One-year limited hardware warranty, 24-hour, 7 days a week Web support, business hour phone support within warranty period