

HP LaserJet Pro M501dn { Specifications }

PRINT SPEED BLACK (ISO, A4)	Normal: Up to 43 ppm [1]
FIRST PAGE OUT (READY)	Black: As fast as 5.8 sec [2]
FIRST PAGE OUT (SLEEP)	Black: As fast as 7.2 sec [2]
PRINT QUALITY BLACK (BEST)	600 x 600 dpi, up to 4800 x 600 enhanced dpi
PRINT RESOLUTION TECHNOLOGIES	HP FastRes 1200, HP ProRes 1200, 600 dpi
DUTY CYCLE (MONTHLY, A4)	Up to 100,000 pages [3]
RECOMMENDED MONTHLY PAGE VOLUME	1,500 to 6,000 [4]
PROCESSOR SPEED	1500 MHz
PRINT LANGUAGES	HP PCL 5, HP PCL 6, HP Postscript Level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG
DISPLAY	2-line LCD (text)
REPLACEMENT CARTRIDGES	HP 87A Black Original LaserJet Toner Cartridge (8,550 yield) CF287A, HP 87X Black Original LaserJet Toner Cartridge (18,000 yield) CF287X [13]
HP EPRINT CAPABILITY	Yes
MOBILE PRINTING CAPABILITY	HP ePrint; Apple AirPrint™; Mopria™-certified
WIRELESS CAPABILITY	No
CONNECTIVITY, STANDARD	Hi-Speed USB 2.0 Host/Device Ports; Fast Ethernet 10 Base-T/100 Base-TX, Gigabit Ethernet 1000 Base-T
NETWORK READY	Standard (built-in Gigabit Ethernet)
MINIMUM SYSTEM REQUIREMENTS	Compatible OS (see "Compatible Operating Systems"); CD-ROM drive or Internet connection (for software installation); Dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; For operating system minimum hardware requirements, see the OS manufacturer, such as microsoft.com
MINIMUM SYSTEM REQUIREMENTS FOR MACINTOSH	Compatible OS (see "Compatible Operating Systems"); Internet connection (for software installation); Dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; For operating system minimum hardware requirements, see the OS manufacturer, such as Apple.com
COMPATIBLE OPERATING SYSTEMS	Windows OS compatible with In-Box Driver: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc); Windows OS compatible with Universal Print Driver (from HP.com): Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit/64-bit editions (Home Basic, Premium, Professional, etc); Mac OS (HP print drivers available from http://www.HP.com and Apple Store): OS X 10.10 Yosemite, OS X 10.9 Mavericks, OS X 10.8 Mountain Lion, OS X 10.7 Lion; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19,

	20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX
OPERATING SYSTEM SUPPORTED FOOTNOTE NUMBER	[6]
MEMORY	256 MB
MAXIMUM MEMORY	256 MB
PAPER HANDLING OUTPUT, STANDARD	250 sheet face down output tray
PAPER HANDLING INPUT, OPTIONAL	Optional 550 sheet cassette tray (Tray 3)
PAPER HANDLING INPUT, STANDARD	100 sheet multipurpose tray and 550 sheet main cassette
PAPER HANDLING NOTE NUMBER	[14]
MAXIMUM OUTPUT CAPACITY (SHEETS)	Up to 250 sheets
DUPLEX PRINTING	Automatic
MEDIA SIZES SUPPORTED	Tray 1: 10 x 15 cm, A4, A5, A6, Envelope B5, Envelope C5, Custom, Envelope DL, B5 (JIS), B6 (JIS); Tray 2, Tray 3: A4, A5, A6, Custom, B5 (JIS), B6 (JIS)
MEDIA SIZES, CUSTOM	Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tray 2, Tray 3: 105 x 148 mm to 215.9 x 355.6 mm
MEDIA TYPES	Paper (plain, light, midweight, intermediate, heavy, extra heavy, bond, cardstock, coloured, letterhead, preprinted, prepunched, recycled, rough, ecoefficient); Envelopes; Labels; Transparencies
MEDIA WEIGHT, SUPPORTED	Tray 1: 60 to 220 g/m ² ; Tray 2, Tray 3: 60 to 220 g/m ²
POWER	Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by part number with #option code identifier)
POWER CONSUMPTION	660 watts (active printing), 6.1 watts (ready), 1.3 (sleep), 0.7 watts (auto-off/wake on USB connection, disabled at shipment), 0.1 watts (auto-off/manual-on), 0.1 watts (manual-off) [9]
ENERGY EFFICIENCY	ENERGY STAR® qualified; EPEAT® Silver; CECP
BLUE ANGEL COMPLIANT	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
OPERATING TEMPERATURE RANGE	15 to 32.5°C
RECOMMENDED OPERATING HUMIDITY RANGE	30 to 70% RH
ACOUSTIC POWER EMISSIONS (READY)	4.0 B(A) [8]
ACOUSTIC PRESSURE EMISSIONS BYSTANDER (ACTIVE, PRINTING)	54 dB(A) [8]
MINIMUM DIMENSIONS (W X D X H)	418 x 376 x 289 mm [7]
MAXIMUM DIMENSIONS (W X D X H)	418 x 639 x 289 mm [7]
WEIGHT	11.6 kg
PACKAGE DIMENSIONS (W X D X H)	497 x 398 x 466 mm
PACKAGE WEIGHT	14.5 kg
WHAT'S IN THE BOX	HP LaserJet Pro M501; Preinstalled introductory HP LaserJet Toner Cartridge (Black: 6,000 pages); In-box documentation (installation guide, getting started guide, user's guide, support flyer, warranty guide); Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROM;

CD's containing software and electronic documentation;
Power cord

CABLE INCLUDED No, please purchase USB cable separately

WARRANTY One-year warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.