

Behringer B115MP3 Specs

PA Speaker

Total Power Capacity 1000 W

Amplifier Power Rating **LF:**
700 W
HF:
300 W

Performance

Frequency Response 45 Hz to 20 kHz

Input Sensitivity 0 to -36 dBu

Max Input Level 18 dBu

Gain Range Up to +36 dB

I/O Impedance **Input:**
14 Kilohms

Connectivity

Audio I/O **2 x** Combo XLR-1/4" TRS Balanced Input
1 x XLR 3-Pin Balanced Mix Output

USB	1 x USB Type-A (Audio) 1 x USB Type-A (USB 3.0, Wireless Audio)
-----	--

Wireless Connectivity	Proprietary Wireless
-----------------------	----------------------

Wireless Range	262.5' / 80 m
----------------	---------------

Signal Processing

Crossover	2.2 kHz
-----------	---------

EQ	HF Shelf: ±15 dB at 12 kHz LF Shelf: ±15 dB at 80 Hz
----	---

Dynamic Processing	Optical Limiter
--------------------	-----------------

Power

AC Input Power	120 VAC, 60 Hz (T 6.3 A H 250 V)
----------------	----------------------------------

AC Power Connector	1 x IEC
--------------------	----------------

Power Consumption	110 W (Max)
-------------------	-------------

Physical

Dimensions 28.1 x 16.8 x 12.3" / 713 x 427 x 313 mm

Weight 38.9 lb / 17.7 kg

Packaging Info

Package Weight 46.2 lb

Box Dimensions (LxWxH) 32 x 21.25 x 16"
