

# Behringer CMD Studio 4A Specs

Configuration	Dual-Deck
Faders	<b>2 x</b> 3.9" / 100 mm Pitch <b>2 x</b> 2.4" / 60 mm Channel Level <b>1 x</b> Crossfader
EQ	<b>Channel EQ:</b> Hi Mid Low
Performance Controls	Cues, Key Lock, Loop Points, Pitch Control
Sample Rates	48 kHz
Bit Depths	24-Bit

## Connectivity

Audio Inputs	<i>None</i>
Audio Outputs	<b>2 x</b> Stereo RCA Coaxial Output <b>1 x</b> 1/4" TRS Headphone Output
USB	<b>1 x</b> USB Type-B (USB 2.0)

## Performance

---

Output Level	RCA: 8 dBu <b>Headphone:</b> -4 dBu (into 32 Ohms)
--------------	---

---

I/O Impedance	<b>Output:</b> 120 Ohms
---------------	----------------------------

---

Crosstalk	
-----------	--

---

SNR	97 dB
-----	-------

---

## Compatibility

---

OS Compatibility	macOS Windows
------------------	------------------

---

## Power

---

Power Requirements	AC/DC Power Adapter (Included)
--------------------	--------------------------------

---

AC Input Power	100 to 240 VAC, 50/60 Hz
----------------	--------------------------

---

Power Consumption	12 W (Maximum)
-------------------	----------------

---

## Physical

---

Dimensions (W x D x H) 19.8 x 12.5 x 2.3" / 50.2 x 31.7 x 5.9 cm

---

Weight 6 lb / 2.7 kg

---

## Packaging Info

---

Package Weight 9.2 lb

---

Box Dimensions (LxWxH) 24 x 15 x 4"

---