

Behringer UMC1820 Specs

Channels of I/O **Digital:**
18 Inputs / 20 Outputs

Max Sample Rate/Resolution 96 kHz / 24-Bit

Number of Mic Preamps 8

Input Level Adjustment **8 x** Knob

Expansion Slots *None*

Connectivity

Host Connection **1 x** USB Type-B (USB 2.0)

Analog I/O
8 x Combo XLR-1/4" TRS Input
2 x 1/4" TRS Monitor Output
8 x 1/4" TRS Line Output
2 x 1/4" TRS Headphone Output

Digital I/O
1 x RCA Coaxial S/PDIF Input
1 x RCA Coaxial S/PDIF Output
1 x TOSLINK ADAT / S/MUX / S/PDIF Input
1 x TOSLINK ADAT / S/MUX / S/PDIF Output

MIDI I/O
1 x DIN 5-Pin Input
1 x DIN 5-Pin Output

Digital Audio

Sample Rates	Up to 96 kHz
--------------	--------------

Bit Depths	24-Bit
------------	--------

Compatibility

OS Compatibility	Windows macOS
------------------	------------------

Included Software	<i>None</i>
-------------------	-------------

Power

AC/DC Power Adapter	Included
---------------------	----------

Physical

Rackmount Size	1 RU
----------------	------

Dimensions	19 x 1.75" / 48.26 x 4.45 cm
------------	------------------------------

Packaging Info

Package Weight	6 lb
----------------	------

Box Dimensions (LxWxH)

24.4 x 7 x 4"
