

AHUJA®

SWX-1300DX

PA Subwoofer system

BEST in

POWER, PUNCH

& PRICE

Ahuja's sub-woofer SWX-1300DX features two extremely efficient 18" LF drivers enclosed in strong carpet covered cabinet with 25 mm thick wooden baffle. The 1300 Watt sub-woofer offers higher power handling capacity, deeper bass & smoother spatial distribution of extended bass. Extensive internal bracing prevents unwanted vibrations & rattling when used in professional applications. In short a high performance, cost effective sub-woofer ideal for smooth low-frequency augmentation in the applications such as live concerts, night-clubs / Dj's, theme parks etc.

Salient Features:

- Attractive & Modern extra-thick grill.
- Four steel handles for convenient handling.
- Bass reflex design tuned with a large, wide angle port.
- Mechanically re-engineered to be more compact and lighter than before.



SPECIFICATIONS

Input power	1300W RMS
Configuration	One Way
Frequency response	30-250Hz
Low frequency speaker	2 x 18" with Ø4" Edge Wound Voice Coil
SPL at (1W/1m)	102dB
Max. RATED SPL	133dB
Nominal impedance	4Ω
Port	Free Flow Flared
Input connectors	Speakon + Terminal Strip
Dimensions	W1075×H660×D610 mm
Weight	83.00kg



Scan this QR code for more information.

AHUJA RADIOS

215, Okhla Industrial Estate, New Delhi - 110 020, INDIA
Tel.: +91-11-26831549, 41612474 Fax: +91-11-26847287
E-mail: ahuja@ahujaradios.com, marketing@ahujaradios.com
Website: www.ahujaradios.com



Design and Specifications are subject to change without notice owing to continuous product up-gradation. Technical specifications are subject to production tolerances. We cannot be held responsible for printing errors, should they occur. AHUJA is a registered trademark of Ahuja Radios in India and other countries. © Copyright Ahuja Radios, 2013. All rights reserved. Any unauthorized reproduction or use of logos, images or design elements is strictly prohibited by law. No part of this compilation may be reproduced in any manner or translated without written permission.

E. & O. E.