## Audio-Technica ATH-M70X Specs

## Headphone

| Earpiece Design                        | Over-Ear (Circumaural), Closed-Back |
|--|-------------------------------------|
| Earpiece Swivel                        | Yes, 90°                            |
| Earpiece Connection / Wearing<br>Style | Headband                            |
| Foldable                               | Yes                                 |
| Driver Type                            | Dynamic                             |
| Driver Size                            | 1.8" / 45 mm                        |
| Magnet Type                            | Neodymium                           |
| Voice Coil                             | Copper-Clad Aluminum Wire           |
| Impedance                              | 35 Ohms                             |
| Active Noise Cancellation              | No                                  |
|  |                                     |

## Performance

Frequency Response

5 Hz to 40 kHz

| Sensitivity                 | 97 dB  |
|-----------------------------|--|
| Maximum Power Handling      | 2000 mW  |
|                             |  |
| Wired Connectivity          |  |
| Audio Connector to Source   | 1 x 1/8" / 3.5 mm TRS Male Straight                    |
| Connector Plating           | Gold   |
| Adapter (Included)          | 1/4" TRS   |
| Cable Design                | Single-Sided, Detachable                               |
| Audio Connector to Earpiece | 1 x 2.5 mm TRS Male                                    |
| Cable Length                | 9.8' / 3 m<br>3.9' / 1.2 m<br>3.9 to 9.8' / 1.2 to 3 m |
| Cable Color                 | Black  |
| Physical                    |  |
| Color                       | Black/Silver   |
| Material of Construction    | Metal, Plastic   |