

PANEL SIZE

31.5" (80 cm)

PANEL RESOLUTION

1920 x 1080 (FHD)

REFRESH RATE

180Hz

RESPONSE TIME

1ms(MPRT)

PANEL TYPE

VA

BRIGHTNESS (NITS)

300

VIEWING ANGLE

178°(H) / 178°(V)

ASPECT RATIO

16:9

CURVATURE

1500R

CONTRAST RATIO

3000:1

DCR

100000000:1

PIXEL PITCH (H X V)

0.36375 (W) x 0.36375 (H)

SURFACE TREATMENT

Anti-glare

DISPLAY COLORS

1.07B (8bits + FRC)

DCI-P3 / SRGB

96% / 125%

VIDEO PORTS

1x DP (1.2a)
2x HDMI (2.0b)
1x USB Type C (DisplayPort Alternate)

USB PORTS

2x USB 2.0 Type A
1x USB 2.0 Type B

ACTIVE DISPLAY AREA (MM)

698.4 (H) x 392.85(V)

AUDIO PORTS

1 x Earphone out

KENSINGTON LOCK

Yes

VESA MOUNTING

100 x 100 mm

POWER TYPE

External Adaptor 19V 3.42A

POWER INPUT

100~240V, 50~60Hz

SIGNAL FREQUENCY

31 to 201KHz(H)
48 to 180Hz(V)

ADJUSTMENT (TILT)

-5° ~ 20°

ADJUSTMENT (HEIGHT)

0 - 130mm

DIMENSION (W X H X D)

710.38 x 513.6 x 266.5 mm / 27.95 x 20.11 x
10.33 inch

CARTON DIMENSION (W X H X D)

957 x 540 x 180 mm / 37.67 x 21.25 x 7.08
inch

WEIGHT (NW / GW)

7kg / 10kg
15.43lbs / 21.25lbs

FRAMELESS DESIGN

Yes

NOTE

Display Port: 1920 x 1080 (Up to 180Hz)

HDMI: 1920 x 1080 (Up to 180Hz)

DCI-P3 and sRGB follow CIE1976 Standard
