

PANEL SIZE

31.5" (80cm)

PANEL RESOLUTION

1920 x 1080 (FHD)

REFRESH RATE

165 Hz

RESPONSE TIME

1ms

PANEL TYPE

VA

BRIGHTNESS (NITS)

250 nits

VIEWING ANGLE

178° (H) / 178° (V)

ASPECT RATIO

16:9

CURVATURE

1500R

CONTRAST RATIO

3000:1

DCR

100000000:1

PIXEL PITCH (H X V)

0.36375(H) x 0.36375(V)

SURFACE TREATMENT

Anti-glare

DISPLAY COLORS

16.7M

DCI-P3 / SRGB

95% / 120%

VIDEO PORTS

1x DP (1.2a)
2x HDMI (1.4b)

ACTIVE DISPLAY AREA (MM)

698.4(H) x 392.85(V)

AUDIO PORTS

1x Earphone out

KENSINGTON LOCK

Yes

VESA MOUNTING

100 x 100 mm

CONTROL

5-way OSD navigation joystick

POWER TYPE

External Adaptor 20V 3.25A

POWER INPUT

100~240V, 50~60Hz

POWER CONSUMPTION

58W

SIGNAL FREQUENCY

53.28 to 183.15KHz (H)
48 to 165Hz (V)

ADJUSTMENT (TILT)

-5° ~ 20°

DIMENSION (W X H X D)

709.4 x 509.5 x 248.9 mm / 27.93 x 20.06 x
9.8 inch

WEIGHT (NW / GW)

6.4kg / 10.0kg
14.11lbs / 22.05lbs

FRAMELESS DESIGN

Yes

NOTE

Display Port: 1920 x 1080 (Up to 165Hz)

HDMI: 1920 x 1080 (Up to 144Hz)

The color gamut follows the CIE 1976 testing standard.