

# Audio-Technica U857 Specs

## Microphone

---

Form Factor	Gooseneck
-------------	-----------

---

Sound Field	Mono
-------------	------

---

Capsule	Electret Condenser
---------	--------------------

---

Polar Pattern	Cardioid
---------------	----------

---

Orientation	End Address
-------------	-------------

---

Pad	<i>None</i>
-----	-------------

---

High-Pass Filter	Yes
------------------	-----

---

Gain Adjustment	Yes
-----------------	-----

---

Windscreen	Foam (Included)
------------	-----------------

---

## Performance

---

Frequency Range	<b>Cardioid Condenser:</b> 30 Hz to 20 kHz
-----------------	---

---

Maximum SPL	135 dB SPL Peak (Phantom Power, 1 kHz, 1% THD)
-------------	--

---

Impedance	250 Ohms (Phantom Power)
Dynamic Range	115 dB A-Weighted (Phantom Power, 1 kHz, at Max SPL)
Signal-to-Noise Ratio	70 dB (1 kHz, at 1 Pa/94 dB SPL)

## Connectivity

Output Connectors (Analog)	<b>1 x</b> XLR 3-Pin
----------------------------	----------------------

## Power

Operating Voltage	11 to 52 V (Phantom Power)
-------------------	----------------------------

## Physical

Color	Black
Mounting	Surface-Mount
Dimensions	L: 14" / L: 35.56 cm