### **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

### Self-generated noise

Self-generated noise

Support

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## Self-generated noise

Self-generated noise

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## Self-generated noise

Self-generated noise

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## Self-generated noise

Self-generated noise

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## **Self-generated noise**

Self-generated noise

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

#### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## **Self-generated noise**

Self-generated noise

# **Technical Specifications**


**System Specifications** 

# **Frequency Response**

19 Hz - 100 Hz (± 3 dB)

Low cutoff -6dB 19 Hz

High cutoff -6dB 150 Hz



# SPL

Peak SPL ≥114 dB

Maximum peak SPL output with random pink noise, measured in half space at 1 meter.

### Short term max SPL ≥109 dB

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter.

## Self-generated noise

Self-generated noise