

Bose L1 PRO8 Specs

Portable PA System

Speaker Configuration	8 x Full-Range Speaker Column with Subwoofer
-----------------------	---

Number of Input Channels	3 (2 x Mono, 1 x Stereo)
--------------------------	--------------------------

Amplifier Power Rating	Speakers: 1 x 60 W Subwoofer: 1 x 240 W
------------------------	--

Amplifier Class	Class-D
-----------------	---------

Speakers

Full-Range Driver	8 x 2" / 50.8 mm Cone
-------------------	------------------------------

Subwoofer Driver	1 x 13 x 7" / 330.2 x 177.8 mm Woofer
------------------	--

Magnet	Neodymium
--------	-----------

Signal Processing

Input Pad	<i>None</i>
-----------	-------------

EQ	HF Shelf LF Shelf
Semi-Parametric EQ	<i>None</i>
Effects	Reverb
Filters	<i>None</i>

Performance

Frequency Response	45 Hz to 20 kHz
Maximum SPL	112 dB (Continuous) 118 dB (Peak)
Coverage Angle	180° H x 20° V
Protections	<i>None</i>

Connectivity

Audio I/O	2 x Combo XLR-1/4" 3-Pin Female Balanced Mic/Line/Hi-Z Input 1 x 1/8" / 3.5 mm TRS Female Unbalanced Line Input 1 x 1/4" TRS Female Unbalanced Line Input 1 x XLR 3-Pin Male Balanced Line Output
Phantom Power	+48 V

Network I/O	<i>None</i>
-------------	-------------

Wireless Connectivity	Bluetooth
-----------------------	-----------

Power

AC Input Power	100 to 240 VAC, 50 / 60 Hz
----------------	----------------------------

Physical

Transport Options	1 x Handle (Top)
-------------------	-------------------------

Dimensions	78.9 x 17.3 x 12.5" / 200.4 x 43.9 x 31.8 cm
------------	--

Weight	39.8 lb / 18.1 kg
--------	-------------------

Packaging Info

Package Weight	47.5 lb
----------------	---------

Box Dimensions (LxWxH)	52 x 27.25 x 15.75"
------------------------	---------------------
