

Model Configuration

Model	B210/DNI
Standard functions	Print
Print speed	up to 31 ppm
Recommended monthly print volume	Up to 4,000 pages
Duty cycle	Up to 30,000 images/month ^①
Processor speed	600 MHz
Print memory (standard)	256 MB standard
First-page-out time, printing	As fast as 8.5 seconds
Page Description Languages (PDL)	PCL 5/6, PostScript 3, XPS
Print features	Bi-directional Real-time Status, Booklet Creation, Brightness/Contrast Adjustment, Collation, Favorites, Overlay, Poster printing, Skip Blank Pages, Toner Save, Watermark
Mobile printing	<u>Apple® AirPrint™</u> , <u>Google Cloud Print™</u> , <u>Mopria®</u> , <u>Xerox® Print Service Plug-in for Android</u>
Two-sided output	Standard

Model	B210/DNI
Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge
Price	\$134.99 [Ⓢ]
	<div style="border: 1px solid red; padding: 5px; display: inline-block; margin-bottom: 10px;">ADD TO CART</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">OTHER WAYS TO BUY</div>

Print

Print speed	up to 31 ppm
Two-sided output	Standard
Recommended monthly print volume	Up to 4,000 pages
Duty cycle	Up to 30,000 images/month [Ⓢ]
Processor speed	600 MHz
Print memory (standard)	256 MB standard
Maximum print resolution	Up to 1200 dpi (enhanced)
First-page-out time, printing	As fast as 8.5 seconds (black and white)
Print features	Bi-directional Real-time Status, Booklet Creation, Brightness/Contrast Adjustment, Collation, Favorites, Overlay, Poster printing, Skip Blank Pages, Toner Save, Watermark

Mobile printing	<u>Apple® AirPrint™</u> , <u>Google Cloud Print™</u> , <u>Mopria®</u> , <u>Xerox® Print Service Plug-in for Android</u>
OS support	Debian 6, 7, 8, 9, Fedora 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, Linux Mint 15, 16, 17, Max OS® version 10.9, 10.10, 10.11, 10.12, 10.13, 10.14, Red Hat® Enterprise Linux 5, 6, 7, SUSE Linux Enterprise Desktop 10, 11, 12, Ubuntu 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, Windows Server® 2008, Windows Server® 2008 R2, Windows Server® 2012, Windows Server® 2012 R2, Windows Server® 2016, Windows Server® 2019, Windows® 7, 8, 10, openSUSE 11.2, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2, 42.1, 15.2

Media Handling

Paper capacity	Tray (Main tray): 250 sheets Tray (Manual feed slot): 1 sheets
Paper size	Tray (Main tray): Custom sizes: 4.14 x 5.85 in. to 8.5 x 14 in. (105 x 149 mm to 216 x 356 mm) Tray (Manual feed slot): Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm)
Output capacity	150 sheets
Media types	Plain, Heavy weight, Thicker, Light weight, Bond, Colored, Cardstock, Labels, Transparency, Envelope, Thick Envelope, Preprinted, Cotton, Recycled, Archive

Security

Security features	Automatic, Self-Signed Certificate Creation, Disable USB Ports, IP Filtering, IP Sec, Software Verification, Trusted Certificate Authorities
--------------------------	--

Dimensions

--	--

Minimum dimensions (WxDxH)	14.5 x 13.2 x 8.4 in. (368 x 334.5 x 213.4 mm)
Weight	16.67 lb (7.56 kg)

Certifications

ENERGY STAR	ENERGY STAR® qualified
Sustainability	<u>EPEAT</u> <u>ENERGY STAR®</u>
Certifications	To view the latest list of certifications, go to www.xerox.com/OfficeCertifications .

Warranty

Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge
-----------------	---