

Tech Specs

10th Gen Intel® Core™ i3 / i5 / i7 Processor:

| | |
|------------------|---|
| Processor | <ul style="list-style-type: none">• Intel® Core™ i3-10100 (4C / 8T, 3.6 / 4.3GHz, 6MB)• Intel® Core™ i5-10400 (6C / 12T, 2.9 / 4.3GHz, 12MB)• Intel® Core™ i5-10500 (6C / 12T, 3.1 / 4.5GHz, 12MB)• Intel® Core™ i7-10700 (8C / 16T, 2.9 / 4.8GHz, 16MB) |
| Operating system | <ul style="list-style-type: none">• DOS |
| Graphics | <ul style="list-style-type: none">• Integrated Intel UHD Graphics 630 |
| Memory | Up to 4GB DDR4 RAM |
| Storage | Up to 1TB 7200rpm HDD |
| Optical drive | 9.0mm DVD±RW |
| Onboard SATA | 2 x onboard SATA 6.0Gb/s connectors |
| Card reader | 7-in-1 Card Reader |

| | |
|--------------------------------|---|
| Chassis Dimensions (W x D x H) | 100 x 304 x 270 (mm), 7.4L |
| Weight | Starting at 4.2 kg |
| Floor stand | None |
| Power supply | <ul style="list-style-type: none"> • 180W 85% • 260W 85% |
| Keyboard | Lenovo Calliope Keyboard (USB connector), black |
| Mouse | Lenovo Calliope Mouse (USB connector), black |
| Audio support | HD Audio, Realtek® ALC623-CG codec |
| Speaker | Internal speaker, 1 x 1.5W |
| Wireless | <ul style="list-style-type: none"> • No WLAN • Intel® Dual Band Wireless-AC 3165, 11ac, 1x1 + Bluetooth™ 4.0 • Intel® Wireless-AC 9260, 11ac, 2x2 + Bluetooth™ 4.0 • Realtek 8821CE, 11ac, 2x2 + Bluetooth™ 5.0 |
| Ethernet | Integrated 100/1000M |

| | |
|--------------------------|---|
| Chipset | Intel B460 Chipset |
| Manageability | None |
| Security features | <ul style="list-style-type: none"> • Security slot for optional cable lock • Padlock Loop for optional padlock • Optional Smart Cable Clip • Firmware TPM 2.0 • Administrator, hard disk, power-on password • USB port disablement |
| Front ports ¹ | <ul style="list-style-type: none"> • 4 x USB1 3.2 Gen 1 • 1 x combo audio/mic jack • 1 x mic jack • 1 x 7-in-1 card reader |
| Rear ports ¹ | <ul style="list-style-type: none"> • 2 x USB 2.0 • 2 x USB 3.2 Gen 1 • 1 x Ethernet (RJ-45) • 1 x serial • 1 x parallel (optional) • 1 x second serial (optional) • 1 x VGA • Additional VGA and HDMI with optional graphics card |
| Rear audio ports | Line-out |
| Bay | <ul style="list-style-type: none"> • Bay 1: slim external optical drive bay |

Expansion
slots

- Bay 2: 3.5", internal bay
- Slot 1: PCIe 3.0 x16
- Slot 2: PCIe 3.0 x1

M.2 card slots

- one for WLAN
- one for M.2 SSD