

## Specifications

Device Type	<b>Multifunction Printer</b>
Product Category	<b>Office</b>
Colour or Mono	<b>Colour</b>
Print Speed	<b>70-90 PPM</b>
Mono Output Speed (A4 pages per min)	<b>75</b>
Colour Output Speed (A4 pages per min)	<b>70</b>
Print Resolution(dpi)	<b>1200 x 1200</b>
Copy Resolution (dpi)	<b>600 x 600</b>
First Time To Print Mono (secs)	<b>2.8</b>
First Time To Print Colour (secs)	<b>3.8</b>
Warm Up Time (secs)	<b>17 / 18 (mono/colour)</b>
Output Size	<b>A6 - SRA3; customised paper sizes, banner paper max. 1,200 x 297 mm</b>
Standard Paper Input Tray 1 (Sheets)	<b>500 (A5 - SRA3)</b>
Standard Paper Input Tray 2 (Sheets)	<b>500 (A5 - SRA3)</b>
Standard Paper Input Tray 3 (Sheets)	<b>1500 (A4)</b>
Standard Paper Input Tray 4 (Sheets)	<b>1000 (A4)</b>
Standard Paper Input Tray 5 (Sheets)	<b>Optional</b>
Standard Paper Input Multiple Bypass (sheets)	<b>150 (up to SRA3)</b>
Standard Paper Input High Capacity Feeder	<b>Optional: 1 x 3,000; A4 or 1 x 2,500; A4-SRA3</b>
Maximum Paper Input (sheets)	<b>6,650</b>
Paper Weight Trays (gsm)	<b>52 - 256</b>
Paper Weight Multiple Bypass (gsm)	<b>60 - 300</b>
Standard Memory (GB)	<b>8</b>

Hard Drive Standard	<b>256GB SSD</b>
Document Feeder (sheets)	<b>300</b>
Weight (kg)	<b>(Approx) 160</b>
Dimension W x D x H (mm)	<b>615 × 688 × 1207*</b>
Dimension Inclusions	<b>*Dimensions include Automatic Document Feeder (ADF), Paper Feed Cabinets</b>
Power Requirements (V / Amp / Hz)	<b>220-240V / 9A / 50-60Hz</b>
Max Power Consumption (kW)	<b>2.1</b>
Energy Star Typical Energy Consumption (kWh/week)	<b>4.2 (in accordance with Energy Star V2.0)</b>
Automatic Duplex Unit Paper Weight (gsm)	<b>52 to 256 gsm</b>
Automatic Duplex Unit Max Sheet Size	<b>SRA3</b>
Scan Type	<b>Full Colour Scanner, Double Feed Detection</b>
Scanning Speed Simplex Max (ipm)	<b>140 (@ 200dpi)</b>
Scanning Speed Duplex Max (ipm)	<b>280 (@ 200dpi)</b>
Interface	<b>Ethernet (10BASE-T / 100BASE-TX / 1000BASE-T), USB2.0, Optional Wi-Fi (802.11 b/g/n/ac)</b>
Dual Scan	<b>Yes</b>
Scanning Size Max	<b>A3</b>
Scan Resolution	<b>Up to 600 x 600 dpi</b>
Output Format	<b>JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX. Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX</b>
Main Functions	<b>Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);</b>

**Scan-to-FTP; Scan-to-Box;  
Scan-to-USB; Scan-to-  
WebDAV; Scan-to-DPWS;  
Scan-to-URL; TWAIN scan**

**Super G3 (Optional)**

**2.4 to 33.6**

**2000**

**400**

**100**

**SMTP, POP**

**200 x 100, 200 x 200, 400 x  
400, 600 x 600**

**Yes**

**Send: TIFF-F, Receive: TIFF-F,  
Colour/ Grey Scale: TIFF  
(RFC3949 Profile-C)**

**Windows 7 (32/64); Windows  
8.1 (32/64); Windows 10  
(32/64); Windows Server 2008  
(32/64); Windows Server 2008**

Modem Type

Modem Speed

Number of Stored Destinations

Number of One Touch Destinations

Number of Group Destinations

Internet Fax Protocol

Internet Fax Resolution

Internet Fax Colour

Send and Receive File Format