

# Comica Audio CVM-WM100 PLUS-HTX Specs

Wireless Transmission	Analog UHF
RF Frequency Band	<b>A:</b> 568.125 to 579.875 MHz <b>B:</b> 580.125 to 591.875 MHz
RF Channel Scanning	Manual
Max Operating Range	328.1' / 100 m
Max Systems per Setup	5
Latency	20 ms
Encryption	<i>None</i>

## Transmitter

Form Factor	Handheld
RF Output Power	Not Specified by Manufacturer
Audio I/O	<i>None</i>
Muting	Off/On Switch

Auto-Level Control	No
Signal Processing	<b>High-Pass Filter:</b>
Sync Method	IR
Antenna	<b>1 x</b> Internal
Power Requirements	Battery
Battery Type	<b>2 x</b> AA (Not Included)
Approx. Battery Life	6 Hours
Display & Indicators	LCD (Channel, Mute)
Housing	Aluminum
Operating Temperature	122°F / 50°C
Storage Temperature	-4 to 140°F / -20 to 60°C
Dimensions	2.1 x 10.1" / 53.5 x 256 mm

## Microphone

---

Form Factor	Handheld Capsule
Sound Field	Mono

Polar Pattern

Cardioid

---

SNR

65 dB

---

THD

< 0.5%

---

## Packaging Info

---

Package Weight

0.98 lb

---

Box Dimensions (LxWxH)

11.5 x 3.9 x 2.7"

---