

# Comica Audio HRM-S Specs

## Microphone

---

Form Factor	Handheld
Sound Field	Mono
Capsule	<b>1 x</b> Condenser
Polar Pattern	Cardioid
Orientation	End Address
Circuitry	Solid-State
Pad	<i>None</i>
High-Pass Filter	<i>None</i>
Gain Adjustment	<i>None</i>

---

## Performance

---

Frequency Range	60 Hz to 20 kHz
Maximum SPL	100 dB SPL

---

Impedance	2.2 Kilohms
Sensitivity	-35 dB at 1 kHz
Dynamic Range	81 dB
Signal-to-Noise Ratio	75 dB
Equivalent Noise Level	19 dB A-Weighted

## Connectivity

Output Connectors (Analog)	<b>1 x</b> 1/8" / 3.5 mm TRRS Male (on Attached Cable)
Headphone Connector	<i>None</i>
Cable Length	11.48' / 3.5 m

## Power

Operating Voltage	Not Specified by Manufacturer
-------------------	-------------------------------

## Physical

Color	Black
Included Case	Soft Case

Construction Material	Metal
Operating Temperature	32 to 122°F / 0 to 50°C
Dimensions	ø: 1.61 x L: 10.75" / ø: 41 x L: 273 mm

## Packaging Info

---

Package Weight	1.27 lb
Box Dimensions (LxWxH)	13.4 x 6.3 x 2.7"