

Shure MV5 Specs

Microphone

Primary Applications Podcast, Web-Streaming, Audio for Video

Form Factor Desktop / Stand/Boom Mount

Intended Sound Sources Vocals, Acoustic Guitar

Sound Field Mono

Capsule Electret Condenser

Diaphragm 0.62" / 16 mm

Polar Pattern Cardioid

Orientation Side Address

Circuitry Solid-State

High-Pass Filter Yes

Gain Adjustment 0 to +36 dB

On-Board Controls Headphone Volume, Mic Mute

Windscreen Built-In

Performance

Frequency Range 20 Hz to 20 kHz

Maximum SPL 130 dB SPL

Sensitivity -40 dBFS/Pa at 1 kHz

Connectivity

Output Connectors (Digital) **1 x** Micro-USB Female (MFi Certified)

Headphone Connector **1 x** 1/8" / 3.5 mm

Digital Audio

A/D Conversion 24-Bit

Sample Rate 48 kHz

Digital Signal Processing Sound Presets

Operating System Support Windows, iOS, macOS/OS X

Mobile Device Compatibility iPhone 5, 5c, 5s, 6, 6 Plus (with Lightning Connector)
iPad 4th Gen. (with Lightning Connector)
iPad Air (with Lightning Connector)
iPad Air 2 (with Lightning Connector)
iPad Mini 1st Gen., 2nd Gen., 3rd Gen.

Power

Bus Power	USB / Lightning
Operating Voltage	Not Specified by Manufacturer

Physical

Color	Gray
Mounting	1/4"-20 Female, Tabletop (Included)
Construction Material	ABS, Die-Cast Zinc, Polycarbonate
Dimensions	H: 2.6 x W: 2.64 x L: 2.56" / H: 66 x W: 67 x L: 65 mm (without Mount) H: 3.5 x W: 5.59 x L: 3.82" / H: 89 x W: 142 x L: 97 mm (with Mount)
Weight	3.2 oz / 90 g (without Mount) 5.6 oz / 160 g (with Mount)