

# Elmo PX-30E Specs

## Sensor

---

|                        |  |
|------------------------|--|
| Sensor                 | CMOS   |
| Sensor Resolution      | Effective: 12 Megapixel                      |
| Zoom                   | 12x (Optical)<br>12x (Digital)               |
| Frame Rate             | 3840 x 2160 @ 30 fps<br>1920 x 1080 @ 60 fps |
| Effective Pixels       | 3840 x 2160 (16:9)<br>3620 x 2640 (4:3)      |
| Minimum Focus Distance | 2.0" / 5.0 cm                                |

---

## General

---

|                   |  |
|-------------------|--|
| Capture Area      | 17 x 12.6" / 43.2 x 32 cm  |
| Video Connections | <b>1 x</b> HD15 VGA Input<br><b>1 x</b> HD15 VGA Output<br><b>1 x</b> HDMI 1.4 Output<br><b>2 x</b> HDMI 1.4 Input |
| Audio Connections | <b>1 x</b> 1/8" / 3.5 mm Line Output<br><b>1 x</b> 1/8" / 3.5 mm Microphone Input                                  |
| I/O Connections   | <b>1 x</b> RS232C<br><b>1 x</b> USB Type-A USB (Unspecified Version)   |

1 x USB Type-A USB 2.0  
1 x USB Type-B USB 3.1 Gen 1  
2 x RJ45

---

Media Card Slots SD/SDHC/SDXC

---

## Adjustments

---

Focal Length 50 to 200 mm

---

## Convenience

---

Built-In LED Lighting Yes

---

Screen Size 5"

---

Built-In Screen Resolution 800 x 480

---

Focus Modes Auto, Manual

---

Remote Control Yes

---

Whiteboard Compatibility Yes

---

## Compatibility

---

Operating System Support Windows, macOS/OS X

---

## Electrical

---

Power Source

Power Adapter

---

DC Input Power

12 VDC

---

## Physical

---

Dimensions

11.7 x 19.0 x 18.8" / 30.0 x 48.0 x 48.0 cm (In-Use)  
11.7 x 19.0 x 5.2" / 30.0 x 48.0 x 13.2 cm (Folded)

---

Weight

9.9 lb / 4.5 kg

---