

# Yamaha DZR12 Dante Equipped Specs

## PA Speaker

---

Configuration Active 2-Way

---

Enclosure Type Bass-Reflex Loudspeaker

---

Total Power Capacity 2000 W Peak  
950 W RMS

---

Amplifier Power Rating **LF:**  
1000 W Peak  
850 W RMS  
**HF:**  
1000 W Peak  
100 W RMS

---

Amplifier Class Class-D

---

## Drivers

---

HF Driver	<b>1 x</b> Rotatable Horn Titanium Compression Driver with 1" / 25.4 mm Throat
-----------	--

---

HF Voice Coil	2" / 50.8 mm
---------------	--------------

---

LF Driver	<b>1 x</b> 12" / 30.5 cm Woofer
-----------	---------------------------------

---

LF Voice Coil	3" / 76.2 mm
---------------	--------------

---

Magnet	<b>HF:</b> Neodymium <b>LF:</b> Neodymium
--------	--

---

## Performance

---

Frequency Range	39 Hz to 20 kHz -10 dB
-----------------	------------------------

---

Maximum SPL	139 dB
-------------	--------

---

Coverage Angle	90° H x 60° V (Rotatable Horn) 60° H x 90° V (Monitor)
----------------	---

---

Max Input Level

**Line Input:**

+24 dBu

---

I/O Impedance

**Input:**

20 Kilohms

---

## Connectivity

---

Audio I/O

**2 x** Combo XLR-1/4" TRS Female  
Balanced/Unbalanced Input

**2 x** XLR 3-Pin Male Balanced Output

---

Network I/O

**2 x** etherCON (Dante)

---

USB

**1 x** USB Type-A (External Memory, Host Connection)

---

## Signal Processing

---

Crossover

1.8 kHz

---

Max Sample Rate/Resolution

96 kHz

---

## Power

---

AC Input Power	<b>Universal:</b> 100 to 240 VAC, 50 / 60 Hz
----------------	---

---

AC Power Connector	<b>1 x</b> IEC (Locking)
--------------------	--------------------------

---

Power Consumption	45 W (Idle) 150 W (1/8 Power)
-------------------	----------------------------------

---

## Physical

---

Mounting	<b>12 x</b> M10 Fly Point <b>2 x</b> 1.4" / 35 mm Pole Socket (Dual Angle, Bottom)
----------	---

---

Monitor Angle	50°
---------------	-----

---

Handles	<b>1 x</b> Each Side
---------	----------------------

---

Cooling	Fan (Variable Speed)
---------	----------------------

---

Construction Material	Plywood
-----------------------	---------

---

Dimensions 16.1 x 25.4 x 15.5" / 410 x 646 x 394 mm

---

Weight 47.2 lb / 21.4 kg

---

## Packaging Info

---

Package Weight 60 lb

---

Box Dimensions (LxWxH) 31 x 20.47 x 19.69"

---