

# Yamaha DXS12MKII Specs

## PA Speaker

---

Configuration	Active Subwoofer
---------------	------------------

---

Total Power Capacity	1020 W Peak 800 W RMS
----------------------	--------------------------

---

## Drivers

---

LF Driver	<b>1 x</b> 12" / 30 cm Woofer
-----------	-------------------------------

---

LF Voice Coil	2.5" / 6.35 cm
---------------	----------------

---

## Performance

---

Frequency Range	42 Hz to 150 Hz
-----------------	-----------------

---

Maximum SPL	134 dB
-------------	--------

---

## Connectivity

---

Audio I/O	<b>2 x</b> XLR 3-Pin Female Input <b>2 x</b> XLR 3-Pin Male Thru
-----------	---

---

## Power

---

AC Input Power	100 to 240 VAC, 50 / 60 Hz
----------------	----------------------------

---

Power Consumption	100 W
-------------------	-------

---

## Physical

---

Mounting	<b>1 x</b> 1.4" / 35 mm Pole Socket <b>1 x</b> M20
----------	---

---

Cooling	Convection
---------	------------

---

Construction Material	Plywood
-----------------------	---------

---

Dimensions 15.8 x 22.3 x 22.4" / 400 x 567 x 570 mm

---

Weight 66.1 lb / 30 kg

---

## Packaging Info

---

Package Weight 74.6 lb

---

Box Dimensions (LxWxH) 28 x 26 x 19"

---

