

DISPLAY SIZE (DIAGONAL)	60.45 cm (23.8")
ASPECT RATIO	16:9
NATIVE RESOLUTION	FHD (1920 x 1080)
PIXEL PITCH	0.274 mm
PIXELS PER INCH (PPI)	92 ppi
SCREEN TREATMENT	Anti-glare
BRIGHTNESS	250 nits
CONTRAST RATIO	1000:1
DISPLAY CONTRAST RATIO (DYNAMIC)	5000000:1
CURVATURE	Flat
BACKLIGHT TYPE	Edge-lit
DETACHABLE STAND	Yes
HEIGHT ADJUSTMENT RANGE	150 mm
BEZEL	3-sided micro-edge
HORIZONTAL VIEWING ANGLE	178° horizontal
VERTICAL VIEWING ANGLE	178°
TOUCH-ENABLED	Not touch-enabled
RESPONSE TIME (TYPICAL)	5 ms gray to gray
TILT	-5 to +20°
SWIVEL	±30°
DISPLAY FEATURES	Advanced haze Language selection On-screen controls Pivot rotation Plug and Play IR sensor

	<p>Low blue light mode Single Power ON Network Manageability Anti-glare IR webcam Height adjustable</p>
HARDNESS	3H
FLICKER-FREE	Yes
PANEL BIT DEPTH	8 bit
PIVOT	±90
LOW BLUE LIGHT	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
VESA MOUNTING	100 mm x 100 mm
INTEGRATED PRIVACY FILTER	No
PHYSICAL SECURITY	Security lock-ready
DISPLAY INPUT TYPE	<p>1 DisplayPort™ 1.2 in (with HDCP support) 1 HDMI 1.4 (with HDCP support) 1 USB Type-C™ (DisplayPort™ 1.4, power delivery up to 100 W)</p>
PORTS	<p>1 RJ-45 1 DisplayPort™ 1.2-out 1 USB Type-C™ (downstream) 4 USB 3.1 (downstream, fast charging 7.5 W)</p>
DISPLAYPORT™	1 DisplayPort™ 1.2
DISPLAYPORT™ OUT	1 DisplayPort™ 1.2-out
HDCP	Yes, DisplayPort™ and HDMI
USB TYPE-C® VIDEO INPUT	1 SuperSpeed USB Type-C® 5Gbps signaling rate (USB Power Delivery up to 100W, Alt Mode DisplayPort™ 1.4)
USB TYPE-A	4 SuperSpeed USB Type-A 5Gbps signaling rate
ETHERNET	Yes

AUDIO PORT	1 Headphone Out Combo Jack
HDMI	1 HDMI 1.4
CARD READER	No
CAMERA	Yes, 1080p
MICROPHONE	Yes
SPEAKERS	No
WEIGHT	6.86 Kg ⁶
MINIMUM DIMENSIONS (W X D X H)	53.94 x 4.85 x 32.33 cm ⁷
DIMENSIONS WITH STAND (W X D X H)	53.94 x 20.68 x 48.64 cm
POWER CONSUMPTION	175 W (maximum), 70 W (typical), 0.5 W (standby)
OPERATING TEMPERATURE RANGE	5 to 35°C
OPERATING HUMIDITY RANGE	20 to 80% non-condensing
SUSTAINABLE IMPACT SPECIFICATIONS	Arsenic-free display glass Low halogen Mercury-free display backlights
WHAT'S IN THE BOX	Monitor DisplayPort™ 1.2 cable HDMI cable Documentation USB Type-C™ cable QSP AC power cord
MANUFACTURER WARRANTY	3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions apply.