

HP M34d Specs

Display

Size	34"
Screen Area	31.39 x 13.14" / 79.73 x 33.38 cm
Panel Type	VA LCD
Curvature	1500R
Touchscreen	No
Resolution	3440 x 1440
Aspect Ratio	21:9
Pixels Per Inch (ppi)	109 ppi
Finish	Anti-Glare / Matte
Hardness Rating	3H
Maximum Brightness	250 cd/m ²
Contrast Ratio	3500:1
Dynamic Contrast Ratio	10,000,000:1

Refresh Rate	100 Hz
Variable Refresh Technology	<i>None</i>
Color Gamut	99% sRGB
Response Time	5 ms (Overdrive)
Viewing Angle (H x V)	178 x 178°
Dot Pitch	0.232 x 0.232 mm

Inputs / Outputs

Inputs/Outputs	1 x HDMI 2.0 Input 1 x DisplayPort 1.2 Input 1 x USB Type-C (USB 3.1 / USB 3.2 Gen 1) Input/Output 4 x USB Type-A (USB 3.1 / USB 3.2 Gen 1) Output 1 x USB Type-B (USB 3.1 / USB 3.2 Gen 1) Input 1 x 3.5 mm Output
----------------	--

HDCP Support	Yes
--------------	-----

Built-In Speakers	Yes, 2 x 3 W
-------------------	---------------------

Memory Card Slots	<i>None</i>
-------------------	-------------

Multi-Input Support (PIP/PBP)	Picture-by-Picture (PBP)
-------------------------------	--------------------------

Supported Languages	Dutch
---------------------	-------

- English
 - French
 - German
 - Italian
 - Japanese
 - Portuguese
 - Simplified Chinese
 - Spanish
 - Traditional Chinese
-

Power

Power Consumption 190 W (Maximum)
48 W (Typical)
0.5 W (Standby)

AC Input Power 100 to 240 VAC, 50 / 60 Hz

Power Adapter Type Internal

USB Power Delivery 65 W (via USB Type-C)

Environmental

Operating Temperature 41 to 95°F / 5 to 35°C

Certifications BIS, CB, CCC, CE, EAC, ENERGY STAR, EPEAT, EPEAT Silver, FCC, GS, Kcc, Microsoft WHQL, NOM, PSE, RCM, TCO Certified, VCCI, WEEE, cTUVus, as per Manufacturer

Physical

Height Adjustment 3.9" / 100 mm

Rotation Adjustment *None*

Swivel Adjustment *None*

Tilt Adjustment -5 to 21°

Max Arm Extension Length *None*

Mounting-Hole Pattern 100 x 100 mm

Lock Slot Yes

Dimensions (W x H x D) 31.9 x 20.4 x 9.3" / 81.0 x 51.8 x 23.6 cm (with Stand)
31.9 x 14.4 x 4.4 / (without Stand)

Weight 23.17 lb / 10.51 kg
