

Specifications

Display size (diagonal)	62.23 cm (24.5")
Aspect ratio	16:9
Native resolution	FHD (1920 x 1080 @ 240 Hz) ^{1 2}
Pixel pitch	0.283 mm
Pixels per inch (ppi)	90 ppi
Screen treatment	Anti-glare
Brightness	400 nits
Contrast ratio	1000:1
Display contrast ratio (dynamic)	12000000:1
Curvature	Flat
Backlight type	Edge-lit
Detachable stand	Yes
Height adjustment range	130 mm
Bezel	3-sided micro-edge
Horizontal viewing angle	170°
Vertical viewing angle	160°
Touch-enabled	Not touch-enabled
Response time (typical)	3 ms on/off 1 ms (with overdrive)
Tilt	-5 to +23°
swivel	No swivel
Display features	On-screen controls Plug and Play User controls User programmable AMD FreeSync™ NVIDIA G-SYNC™ Anti-glare
Hardness	3H

Flicker-free	Yes
Panel bit depth	8 bit
pivot	No pivot
Low blue light	Yes (TÜV certified)
VESA mounting	100 mm x 100 mm (bracket included)
Integrated privacy filter	No
Physical security	Security lock-ready
Display Input Type	1 DisplayPort™ 1.2 in (with HDCP support) 2 HDMI 2.0 (with HDCP support)
Ports	1 analog and digital audio-out 2 USB 3.0
DisplayPort™	1 DisplayPort™ 1.2
HDCP	Yes, DisplayPort™ and HDMI
USB Type-A	2 SuperSpeed USB Type-A 5Gbps signaling rate
Usb b (hub enablement)	1 USB-B
Ethernet	No
HDMI	1 HDMI 1.4
Camera	No integrated camera
Microphone	No
Speakers	No
Weight	6.16 kg ⁴
Minimum dimensions (W x D x H)	55.75 x 9.87 x 33.06 cm ⁵
Dimensions With Stand (W x D x H)	55.75 x 27.25 x 48.96 cm
Power consumption	65 W (maximum), 30 W (typical), 0.5 W (standby)
Operating temperature range	5 to 35°C
Operating humidity range	20 to 80% non-condensing

Sustainable impact specifications	Arsenic-free display glass Low halogen Mercury-free display backlights
What's in the box	AC power cord DisplayPort™ cable USB cable USB Type-A to B cable
Manufacturer Warranty	2 year parts and labour limited warranty.