

# Universal Audio VOLT-SB2 Specs

Form Factor	Tabletop
Display	<i>None</i>
Channels of I/O	<b>Analog:</b> 2 Inputs / 2 Outputs
Max Sample Rate/Resolution	192 kHz / 24-Bit
Number of Mic Preamps	2
Input Level Adjustment	<b>2 x</b> Knob
Expansion Slots	<i>None</i>

## Signal Processing

Pad	<i>None</i>
High-Pass Filter	<i>None</i>
Solo/Mute	<i>None</i>

## Connectivity

Analog Audio I/O	<b>2 x</b> Combo XLR-1/4" TRS Balanced/Unbalanced
------------------	---

Mic/Line/Hi-Z Input (Front Panel)  
**2 x** 1/4" TRS Balanced Monitor Output  
**1 x** 1/4" TRS Unbalanced Headphone Output (Front Panel)

---

Phantom Power 48 V, Selectable On/Off (Applied to All Inputs)

---

Digital Audio I/O *None*

---

Host Connection / USB **1 x** USB Type-C (USB 2.0)

---

USB (Non-Host) *None*

---

Sync I/O *None*

---

Network I/O *None*

---

MIDI I/O **1 x** DIN 5-Pin Input  
**1 x** DIN 5-Pin Output

---

Wireless Connectivity *None*

---

## Digital Audio

---

Sample Rates Up to 192 kHz

---

Sample Rate Conversion *None*

---

Bit Depths 24-Bit

---

Latency Zero-Latency Direct Monitoring

---

## Audio Storage & Playback

---

Memory Card Slot

*None*

---

## Compatibility

---

OS Compatibility

macOS 10.14 or Later  
Windows 10 (64-Bit)  
iOS 14 or Later  
iPadOS 14 or Later

---

Included Software

Ableton Live Lite

---

Compatible Software (Not Included)

Any Core Audio (Mac) Compliant Software

---

Included Plug-Ins

**Delay:**

Softube Tube Delay

**Dynamics:**

Softube Drawmer S73 Intelligent Master Processor

**Guitar & Bass:**

Softube Marshall Plexi Classic Amp

Ampeg SVT-VR Classic

**Harmonic & Tape:**

Softube Saturation Knob

**Special Processing:**

Brainworx bx\_masterdesk Classic

**Reverb & Room:**

Relab LX480 Essentials

Softube TSAR-1R Reverb

**Tuning:**

Celemony Melodyne Essential

Brainworx bx\_tuner

**Virtual Instruments:**

UJAM Virtual Drummer DEEP

Processor Requirement

**Mac:**  
Intel  
Apple M1  
**PC:**  
Intel  
AMD

---

Mobile Device Compatibility

iPad Pro  
iPad  
iPhone

---

Required Hardware

Available USB 2.0 Port  
USB Cable (Included)

---

Internet Connection

Required for Registration, Software/Driver Download

---

## Power

---

Power Requirements

AC/DC Power Adapter (Not Included) or USB Bus Power

---

AC/DC Power Adapter

5 VDC (Not Included)

---

## Physical

---

Anti-Theft Features

Kensington Security Slot

---

## Packaging Info

---

Package Weight 5.24 lb

---

Box Dimensions (LxWxH) 19.5 x 9.9 x 5.2"

---