

Universal Audio VOLT 276 Specs

Form Factor	Tabletop
Display	4 x Multi-Segment LED Meter
Channels of I/O	Analog: 2 Inputs / 2 Outputs
Max Sample Rate/Resolution	192 kHz / 24-Bit
Number of Mic Preamps	2
Input Level Adjustment	2 x Knob
Expansion Slots	<i>None</i>

Signal Processing

Pad	<i>None</i>
High-Pass Filter	<i>None</i>
Solo/Mute	<i>None</i>

Connectivity

Analog Audio I/O	2 x Combo XLR-1/4" TRS Balanced/Unbalanced
------------------	---

Mic/Line/Hi-Z Input (Front Panel)
2 x 1/4" TRS Balanced Monitor Output
1 x 1/4" TRS Unbalanced Headphone Output (Front Panel)

Phantom Power 48 V, Selectable On/Off (Applied to All Inputs)

Digital Audio I/O *None*

Host Connection / USB **1 x** USB Type-C (USB 2.0)

USB (Non-Host) *None*

Sync I/O *None*

Network I/O *None*

MIDI I/O **1 x** DIN 5-Pin Input
1 x DIN 5-Pin Output

Wireless Connectivity *None*

Digital Audio

Sample Rates Up to 192 kHz

Sample Rate Conversion *None*

Bit Depths 24-Bit

Latency Zero-Latency Direct Monitoring

Audio Storage & Playback

Memory Card Slot

None

Compatibility

OS Compatibility

macOS 10.14 or Later
Windows 10 (64-Bit)
iOS 14 or Later
iPadOS 14 or Later

Included Software

Ableton Live Lite

Compatible Software (Not Included)

Any Core Audio (Mac) Compliant Software

Included Plug-Ins

Delay:
Softube Tube Delay

Dynamics:
Softube Drawmer S73 Intelligent Master Processor

Guitar & Bass:
Softube Marshall Plexi Classic Amp
Ampeg SVT-VR Classic

Harmonic & Tape:
Softube Saturation Knob

Special Processing:
Brainworx bx_masterdesk Classic

Reverb & Room:
Relab LX480 Essentials
Softube TSAR-1R Reverb

Tuning:
Celemony Melodyne Essential
Brainworx bx_tuner

Virtual Instruments:
UJAM Virtual Drummer DEEP

Processor Requirement

Mac:
Intel
Apple M1
PC:
Intel
AMD

Mobile Device Compatibility

iPad Pro
iPad
iPhone

Required Hardware

Available USB 2.0 Port
USB Cable (Included)

Internet Connection

Required for Registration, Software/Driver Download

Power

Power Requirements

AC/DC Power Adapter (Not Included) or USB Bus
Power

AC/DC Power Adapter

5 VDC (Not Included)

Physical

Anti-Theft Features

Kensington Security Slot

Packaging Info

Package Weight

2.615 lb

Box Dimensions (LxWxH)

9.7 x 7.7 x 4.4"
