

Specifications

Device Type	Multifunction Printer
Product Category	Office
Colour or Mono	Colour
Print Speed	60-69 PPM
Mono Output Speed (A4 pages per min)	65
Colour Output Speed (A4 pages per min)	65
Print Resolution(dpi)	Up to 1200 x 1200
Copy Resolution (dpi)	600 x 600
First Time To Print Mono (secs)	2.8
First Time To Print Colour (secs)	3.8
Warm Up Time (secs)	15 / 17 (Mono/Colour)
Output Size	SRA3 to A6; Customised Paper Sizes; Banner Paper (297 × 1200mm)
Output Size Max	SRA3
Standard Paper Input Tray 1 (Sheets)	500 (A5-A3)
Standard Paper Input Tray 2 (Sheets)	500 (A5 -SRA3)
Standard Paper Input Tray 3 (Sheets)	Optional
Standard Paper Input Tray 4 (Sheets)	Optional
Standard Paper Input Tray 5 (Sheets)	Optional
Standard Paper Input Multiple Bypass (sheets)	150 (up to SRA3)
Standard Paper Input High Capacity Feeder	Optional: 1 x 3,000; A4 or 1 x 2,500; A4-SRA3
Maximum Paper Input (sheets)	6,650
Paper Weight Trays (gsm)	(Tray 1/2) 52 - 256
Paper Weight Multiple Bypass (gsm)	60 - 300

Standard Memory (GB)	8
Hard Drive Standard	256GB SSD
Document Feeder (sheets)	300
Weight (kg)	(Approx) 124 (with Optional Paper Feed Cabinet)
Dimension W x D x H (mm)	615 × 688 × 1207*
Dimension Inclusions	*Dimensions include Automatic Document Feeder (ADF) and Optional Paper Feed Cabinet / Copy Desk
Power Requirements (V / Amp / Hz)	220-240V / 9A / 50-60Hz
Max Power Consumption (kW)	2
Energy Star Typical Energy Consumption (kWh/week)	3.5 (in accordance with Energy Star Ver. 2.0)
Automatic Duplex Unit Paper Weight (gsm)	52 to 256 gsm
Automatic Duplex Unit Max Sheet Size	SRA3
Scan Type	Full Colour Scanner, Double Feed Detection
Scanning Speed Simplex Max (ipm)	140 (@ 200 dpi)
Scanning Speed Duplex Max (ipm)	280 (@ 200 dpi)
Interface	Ethernet (10BASE-T / 100BASE-TX / 1000BASE-T), USB2.0, Optional Wi-Fi (802.11 b/g/n/ac)
Dual Scan	Yes
Scanning Size Max	A3
Scan Resolution	Up to 600 x 600 dpi
Output Format	TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS, PDF/A 1a and 1b, PPTx. Optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

Main Functions	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
Modem Type	Super G3 (Optional)
Modem Speed	2.4 to 33.6
Number of Stored Destinations	2000
Number of One Touch Destinations	400
Number of Group Destinations	100
Internet Fax Protocol	SMTP, POP
Internet Fax Resolution	200 x 100, 200 x 200, 400 x 400, 600 x 600
Internet Fax Colour	Yes
Send and Receive File Format	TIFF; PDF
Operating System Support	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2;