

Sennheiser 506046 Specs

Headset Features

Noise Cancellation

Microphone

Microphone Type

Ultra noise-canceling

Frequency Response

150 to 6,800 Hz

Speaker

Speaker Type

Dynamic, neodymium magnet

Microphone Frequency Response

150 Hz to 6800 Hz

Frequency Response

150 to 15,000 Hz

General

Wearing Style

Fully adjustable headband, over-the-head wearing style

Technology

Bluetooth Version 4.0 / supported profiles: HSP 1.2 + HFP 1.6 + A2DP 1.2

Earpiece Design	On-Ear
Range	Up to 82.00' (24.99 m) (device dependent)
Charging Time	100% Charging Time: 2 hours 30 minutes 50% Charging Time: 40 minutes
Listening Mode	Binaural
Talk Time	Up to 15 hours
Speaker Frequency Response	150 Hz to 15 kHz
Sound Pressure	Maximum 118 dB (SPL) limited by ActiveGard
Wearing Style	Over-the-Head

Physical Characteristics

Weight	2.89 oz (82.00 g)
Maximum Sound Pressure Level (SPL)	118 dB

Connectivity

Wireless Range	82' / 25 m
Wireless Technology	Bluetooth 4.0

Hands Free Profile Version 1.6

A2DP Profile Version 1.2

Host Connection **1 x** USB Type-A

Power

Recharge Time 2.5 Hours

Talk Time 15 Hours
