

# Granit 1980i

## Industrial-Grade Full-Range Area-Imaging Scanner

The Granit™ 1980i industrial-grade scanner features full-range area-imaging technology capable of reading both 1D and 2D barcodes across a wide range of distances. From poor-quality 2 mil (0.0508 mm) codes scanned at close range, to 100 mil (2.54 mm) codes hanging from warehouse rafters scanned at ranges of 52 feet (16 m), the 1980i is built to perform. With an unmatched range that provides incredible versatility, Granit enables maximum operator productivity in the harshest environments.

The 1980i is packed with technology that makes it simple to use. An integrated laser pointer aiming system with auto-illumination, omnidirectional reading capability and support for centring take the guesswork out of scanning at extended ranges. Operators of fork trucks equipped with vehicle-mounted mobile computers, such as the Honeywell Thor™ series, will appreciate how the full-range scanning capability of 1980i allows them to remain seated – and hence more productive – while scanning pallets at extended ranges.

As a member of the Granit family of scanners, the 1980i is built to withstand the varied demands of harsh working environments. Utilizing the Granit housing that has long set the standard for scanner reliability, the 1980i is rated IP65 and is built to survive 5,000 tumbles from 3.2 feet (1 m) and 50 drops to concrete from 6.5 feet (2 m) – even in temperatures as low as -22°F (-30°C). As a result, operations that deploy Granit scanners can expect to experience minimal device downtime and a lower overall cost of ownership.



## Features

- **Full-Range Area-Imaging Performance:** Scans low density (100 mil, or 2.54 mm) codes out to 52 feet (16 m) and high density (2 mil, or 0.0508 mm) codes at close range – and everything in between.
- **Built Granit Tough:** Tested to withstand the toughest environments, Granit is rated IP65 and can withstand 5,000 tumbles from 3.2 feet (1 m) and 50 drops to concrete from 6.5 ft (2 m).
- **Easy to Use:** A laser-spot aimer, omnidirectional scanning and features such as centring take the guesswork out of scanning at extended ranges.
- **Industrial-Grade Cable Option:** Tested to withstand 300,000 90-degree bends at temperatures as low as -22°F (-30°C). Continues to communicate when up to 60 pounds (27 kg) of force is applied.
- **Single Scanning Solution:** Can replace and consolidate multiple purpose-built scanners in typical distribution centre and warehouse environments.

# Granit 1980i Technical Specifications

## Mechanical

Dimensions (LxWxH)	133 mm x 75 mm x 195 mm (5.2" x 2.9" x 7.6")
Weight	335 g (11.8 oz)

## Electrical

Input Voltage	4.0 to 5.5 VDC
Operating Power	2.35 W (470 mA @ 5.0 V)
Standby Power	0.5 W (100 mA @ 5.0 V)
Host System Interfaces	USB and True RS232

## Environmental

Operating Temperature	-30°C to 50°C (-22°F to 122°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)
Humidity	0 to 95% relative humidity, non-condensing
Drop	Designed to withstand 50 2 m (6.5') drops to concrete at -30°C (-22°F)
Tumble	5,000 1-metre (40") tumbles
Environmental Sealing	IP65
Light Levels	0 to 100,000 lux (9,290 foot-candles)
ESD	±20 kV air discharge, ±8 kV contact discharge


## Scan Performance

Scan Pattern	Area Imager
Scan Angle	Horizontal: 12.9° Vertical: 8°
Symbol Contrast	1D Codes: 30% minimum reflectance difference 2D Codes: 40% minimum reflectance difference
Min. Resolution	1D & 2D Codes: 2 mil (0.051 mm)
Pitch, Skew	70°, 80°
Warranty	3-year factory warranty

Refer to the Honeywell Scanning & Mobility Compliance Centre ([www.honeywellaidc.com/compliance](http://www.honeywellaidc.com/compliance)) to review and download any publicly available documentation pertaining to the certification of this product in a given country.

Refer to the Honeywell Scanning & Mobility Supported Symbolologies Datasheet ([www.honeywellaidc.com/symbolologies](http://www.honeywellaidc.com/symbolologies)) for a complete listing of all supported barcode symbolologies.

Specifications are subject to change without notice.



Symbology	Barcode Narrow Width	Depth of Field (Typical*)
Code 39	7.5 mil (0.191 mm)	10.0 – 164.9 cm (3.9 – 64.9 in)
	10 mil (0.254 mm)	10.0 – 216 cm (3.9 – 85.0 in)
	20 mil (0.508 mm)	15.2 – 434.5 cm (6.0 – 171.0 in)
	40 mil (1.016 mm)	36.4 – 989.1 cm (14.3 – 389.4 in)
	55 mil (1.397 mm)	52.2 – 1322.4 cm (20.5 – 520.6 in)
	100 mil (2.54 mm)	103.4 – 1600 cm (40.7 – 629.9 in)
EAN/UPC	13 mil (0.33 mm)	12.2 – 229.8 cm (4.8 – 90.5 in)
DataMatrix	7.5 mil (0.191 mm)	10.0 – 75.9 cm (3.9 – 29.9 in)
	10 mil (0.254 mm)	10.0 – 102.3 cm (3.9 – 40.3 in)
	55 mil (1.397 mm)	42.8 – 591.3 cm (16.9 – 232.8 in)
	100 mil (2.54 mm)	80.7 – 1032.5 cm (31.8 – 406.5 in)

\*Performance may be impacted by barcode quality and environmental conditions.

### For more information:

[www.honeywellaidc.com](http://www.honeywellaidc.com)

### Honeywell Scanning & Mobility

Edison Road  
Basingstoke  
Hampshire RG21 6QD  
Phone: +44 (0) 1256 722200  
Fax: +44 (0) 1256 722201  
[www.honeywell.com](http://www.honeywell.com)



800 729 0236  
www.logiscenter.us



0241 9550 9225  
www.logiscenter.de



01 82 88 44 70  
www.logiscenter.fr



020 3318 8265  
www.logiscenter.co.uk



0720 115814  
www.logiscenter.at



02 58 80 583  
www.logiscenter.be



911 433 048  
www.logiscenter.com



02 4792 1697  
www.logiscenter.it



308 800 842  
www.logiscenter.pt

## About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

## Reasons to work with us

**Our customers come first.** Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

**The best brands.** We offer products from the best manufacturers worldwide.

**Expert technical support team.** Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

**Largest stock.** We have a permanent stock of more than 60,000 products.

**Same-day shipping.** For all orders placed and confirmed before 16:00 on working days.

**Best prices.** With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

**Easy returns.** Damaged or defective products can be returned easily, for an exchange or reimbursement.



## All Brands Technical Service


## Our Brands




## Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables  
(labels, ribbons, PVC cards)